

1974 Subject Index

asterisk indicates abstract

- Abdomen, mass evaluation**, 70*, 146–149
Accounting, cost, 109
Aerosol, ^{99m}Tc -colloid, lung ventilation, 66*
Albumin *see Technetium-99m*
Artifact
 photon absorption by foreign objects, 44
 power line surge, scintillation camera, 12, 117
- Background**
 quality control procedures, 44
 subtraction, pancreas studies, 10, 69*
- Bladder**
 residual urine volume, 157–159
 vesicoureteral reflux, epigastric effects, 146–149
- Blocking dose**, perchlorate, 67*
- Blood**
 flow *see specific organ*
 pool images, 65*
 thromboembolus, induced, fibrinogen uptake, in dogs, 64*
 vessels *see Vascular system*
- Bone**
 hip imaging, ^{99m}Tc -polyphosphate, in children, 154–156
 imaging, blood pool images, 65*
- Book Review**
 A Clinician's Guide to Modulation Transfer Function, 177
 Basic Science Principles of Nuclear Medicine, 117
- Brain**
 perfusion, strip-chart method, 150–153
 perfusion, blood pool image, 65*
 scan, perchlorate blocking dose, 67*
- Breast**
 imaging, $^{99m}\text{TcO}_4^-$, ^{67}Ga , 69*, 141–143
- Californium-252**, source, neutron activation analysis, 52
- Camera, scintillation**
 breast imaging, 69*, 141–143
 cardiac blood flow, physiologic synchronizer, 65*

- cerebral blood flow, strip chart method, 150–153
cisternography, ^{111}In -DTPA, 63*
collimator, small diameter pinholes, 66*
 computer, residual urine volume, 157–159
effect of power line surge, 12, 117
flood images, 44, 57, 96
kidney screening procedure, ^{99m}Tc -DTPA, 69*
photographic systems, cost, 42, 176; limitations, 96
 quality control, 44
 tomographic, planes of focus, 40
- Carbon-14**, tripalmitate absorption, $^{14}\text{CO}_2$ excretion test, 88*
- Cardiac** *see Heart*
- Cerebral** *see Brain*
- Cerebrospinal fluid** *see Cisternography*
- Chelates** *see Indium-113m; Technetium-99m*
- Choroid plexus**, $^{99m}\text{TcO}_4^-$ uptake, 67*
- Cisternography**
 ^{111}In -DTPA, scintillation camera, 63*
 ^{99m}Tc -inulin, kit preparation, 67*
- Clinical evaluation**
 brain scan, $^{99m}\text{TcO}_4^-$, perchlorate blocking dose, 2,938 scans, 67*
 cardiac blood flow, physiologic synchronizer, 50 cases, 65*
 cerebral blood flow, strip chart method, 50 cases, 150–153
 cisternography, ^{111}In -DTPA, camera, over 200 cases, 63*
 effective thyroid ratio in newborns, 61 cases, 144–145
- Cobalt-60**, radiation therapy, superior vena caval obstruction, 19
- Collimator**
 choice, breast imaging, 69*, 141–143
 choice, ^{67}Ga studies, 70*
 pinhole, hip imaging, in children, 154–156
 pinhole, small diameter insert, 66*
- Computer**
 central, 93

- pancreas imaging, subtraction method, 69*
- Cost**
- accounting and analysis, 109
 - gamma camera photographic systems, 42
 - reduction, Polaroid film, 176
 - ^{133}Xe in saline, 115
- Decay factor**, calculation, 99
- Detector**, quality control, 44
- Digoxin radioimmunoassay**, 63*
- Display**, photographic systems, scintillation camera, 42, 65*, 96, 176
- Dose**
- calculation for children, 65*
 - radioactive decay factor, 99
 - see also Radiation safety*
- Education**
- accreditation, 22
 - legislation, 105
 - program at Springfield Tech. Community College, 26, 62
 - program at St. Louis VA Hospital, 160–163
 - program at Toronto Inst. of Medical Technology, 60
- Efficiency**, small diameter pinhole collimator inserts, 66*
- Energy**, neutron activation analysis, 52
- Fibrinogen**, thromboembolus uptake, in dogs, 64*
- Film**
- limitations, scintillation camera systems, 96
 - Polaroid, scintillation camera systems, cost, 42, 176
- Flood image**
- phantom filling, 57
 - photographic film limitations, 96
 - quality control procedures, 44
- Focal plane**
- photographic image systems, limitations, 96
 - scintillation tomocamera, 40
- FWHM**, quality control of instruments, 44
- Gallium-67**
- citrate, breast imaging, 69*, 141–143
 - citrate, optimization of imaging procedures, 70*
- Gastrointestinal tract**
- absorption, ^{14}C -tripalmitate, $^{14}\text{CO}_2$ breath test, 88*
 - epigastric imaging, oral $^{99m}\text{TcO}_4^-$, 70*, 146–149
- Generator**, ^{99}Mo - ^{99m}Tc , effect of age on ^{99m}Tc -sulfur colloid, 14
- Gold-198**, colloid precipitation, 18
- Half-life** *see Nuclear parameters*
- Heart**
- cardiopulmonary phantom, 170–171
 - myocardial perfusion, dual nuclide, ^{99m}Tc - and ^{131}I -MAA, 68*
 - myocardial scanning in stress, ^{43}K , 67*
 - perfusion, physiologic synchronizer, 65*
- Hepatic** *see Liver*
- Hippuran**, ^{131}I -, residual urine volume, 157–159
- Imaging** *see specific organ*
- Indium-111**, DTPA, cisternography, 63*
- Indium-113m**, DTPA, quality control, 44
- Instrumentation**
- cost accounting and analysis, 109
 - quality control, 44
 - see also specific instrument*
- Inulin**, ^{99m}Tc -, kit preparation, 67*
- Iodine-125**, digoxin radioimmunoassay, 63*
- Iodine-128**, neutron activation analysis of insulin, 52
- Iodine-131**,
- hippuran, residual urine volume, 157–159
 - MAA, myocardial imaging, with ^{99m}Tc -MAA, 68*
- Ionization chamber**, quality control, 44
- Joint**, hip imaging in Legg–Perthes disease, 154–156
- Kidney**
- imaging, epigastric effects, 70*, 146–149
 - localization for biopsy or radiation therapy, 174–175
 - screening procedure, ^{99m}Tc -DTPA, 69*
- Kit**
- ^{99m}Tc -inulin, 67*
 - ^{99m}Tc -MAA, evaluation, 68*
- Legislation**, 20, 58, 105
- Licensure**, 20, 60, 105
- Liver**
- imaging, epigastric effects, 70*, 146–149
 - pancreas imaging, subtraction technique, 10, 69*
- Lung**
- cardiopulmonary phantom, 170–171
 - hot spots, 44
 - scans, thromboembolus, in dogs, 64*
 - ventilation, ^{99m}Tc -colloid aerosol, 66*
- Macroaggregated albumin** *see Iodine-131; Technetium-99m*
- Manganese-56**, neutron activation analysis of biologic samples, 52
- Microspheres**, ^{99m}Tc , agitation, 172–173
- Model**, thromboembolus, dog, 64*
- Modulation Transfer Function**, Book Review, 177
- Myocardium** *see Heart*

- Neutron activation analysis, review, 52**
- Nuclear parameters**
- ^8Be , ^{252}Cf , ^{24}Na , ^{128}I , ^{56}Mn , ^{239}Pu , 52
 - ^{111}In , 63*
- Pancreas imaging, background subtraction, 10, 69***
- Pediatrics**
- bone imaging, hip, 154–156
 - effective thyroid ratio in newborns, 64*, 144–145
 - epigastric imaging, oral $^{99m}\text{TcO}_4^-$, 70*, 146–149
 - radiopharmaceutical dose calculation, 65*
- Perchlorate blocking dose, 67***
- Personnel**
- cost accounting and analysis, 109
 - unionization, 164–165
 - see also Education; Licensing; Radiation safety*
- Phantom**
- bar, Hine Reference, 64*
 - cardiopulmonary, dynamic, 170–171
 - ^{67}Ga imaging optimization, 70*
 - plane source, filling, 57
- Plane of focus** *see Focal plane*
- Plutonium-239 source, neutron activation analysis, 52**
- Polonium-210-Be source, neutron activation analysis, 52**
- Potassium-43, myocardial scanning in stress, 67***
- Probe, quality control, 44**
- Professional Standards Review Organizations, 58, 105**
- Quality control**
- ^{198}Au -colloid, 18
 - multi-dose vials, 66*
 - multi-imaging system, 64*
 - nuclear medicine procedures, 44
 - photographic systems, scintillation camera, 96
 - Professional Standards Review Organizations, 58, 105
 - radioimmunoassay, 70*
 - statistical techniques, 160–161
 - system, radiopharmaceuticals, 68*
 - ^{99m}Tc -sulfur colloid, 14
- Radiation safety**
- air transportation of radioactive materials, 166–169
 - exposure to hands, 65*, 172–173
 - legislation, 20, 105
 - technologist exposure, ^{99m}Tc , 64*, 65*, 172–173
- Radiation therapy**
- ^{60}Ce , superior vena caval obstruction, 19
 - kidney localization, 174–175
- Radioimmunoassay**
- digoxin, polymerized antibody tablet, 63*
 - quality control, 70*
- Radiopharmaceuticals**
- cost accounting and analysis, 109
 - decay factor calculation, 99
 - dose calculation for children, 65*
 - quality control, 14, 18, 44, 66*, 68*
- Resolution**
- plane source phantom filling, 57
 - quality control of instruments, 44
 - system evaluation, 64*
- Scanner, rectilinear**
- myocardial scanning, ^{43}K , 67*
 - quality control, 44
- Selenium-75, selenomethionine, pancreas imaging, 10, 69***
- Sodium-24, neutron activation analysis of biologic samples, 52**
- Spectrometer, Ge (Li), 52**
- Spleen imaging, epigastric effects, 70*, 146–149**
- Stomach imaging, oral $^{99m}\text{TcO}_4^-$, 70*, 146–149**
- Technetium-99m**
- DTPA, kidney imaging, epigastric effects, 70*, 146–149
 - DTPA, kidney localization, 174–175
 - DTPA, kidney screening, 69*
 - DTPA, quality control, 44
 - Fe-ascorbic acid, kidney localization, 174–175
 - HSA, cardiac perfusion, 65*
 - inulin, kit preparation, 67*
 - MAA, kit evaluation, 68*
 - MAA, myocardial imaging with ^{131}I -MAA, 68*
 - MAA, thromboembolus evaluation, in dogs, 64*
 - microspheres, automatic agitation, 172–173
 - plane source phantom filling, 57
 - polyphosphate, hip imaging, in children, 154–156
 - radiation exposure to personnel, 64*, 65*, 172–173
 - sulfur colloid, free $^{99m}\text{TcO}_4^-$, 14
 - sulfur colloid, pancreas scan, liver subtraction, 10, 69*
- Technetium-99m, pertechnetate**
- breast imaging, 69*, 141–143
 - cerebral blood flow, strip chart technique, 150–153
 - epigastric imaging, oral dose, 70*, 146–149
 - free, in ^{99m}Tc -sulfur colloid preparation, 14'
 - perchlorate blocking dose, 67*
 - superior vena caval imaging, 19
- Thyroid**
- effective thyroid ratio, in newborns, 64*, 144–145
 - imaging, small diameter pinholes, $^{99m}\text{TcO}_4^-$, 66*

Thyroxine, effective thyroid ratio, in newborns, 64*, 144–145
Tomography, camera, planes of focus table, 40
Total body counters, 102
Training *see Education*

Unions, 164–165

Vascular system
cardiovascular, *see Heart*
superior vena caval imaging, $^{99m}\text{TcO}_4^-$, 19
Whole body counter, availability, application, 102
Xenon-133 in saline, preparation, 115
X-ray, radiation exposure, 20