

Author Index—1993

- Abdel-Dayem, HM, 114(ab), 116(ab)
 Abdel-Nabi, H, 117(ab)
 Abrahamson, M, 108(ab)
 Afriyie, M, 113(ab)
 Ahlberg, AW, 104(ab)
 Al-Hani, A, 104(ab)
 Al-Huda, FA, 114(ab)
 Al-Mohannadi, S, 114(ab)
 Al-Zaabi, K, 114(ab)
 Alavi, A, 105(ab), 106(ab)
 Alazraki, NP, 114(ab)
 Alessi, AM, 113(ab)
 Andromalos, HM, 104(ab)
 Angelides, S, 106(ab)
 Appledorn, CR, 65
 Archambault, ML, 119(ab)
 Areeda, JS, 104(ab)
 Argenyi, EE, 106(ab)
 Arroyo, AJ, 119(ab), 162
 Asdourian, PL, 121(ab)
- Babich, JW, 112(ab)
 Bagni, B, 118(ab)
 Baig, S, 114(ab)
 Bailey, D, 105(ab)
 Baravelli, R, 118(ab)
 Barboni, A, 118(ab)
 Barlow, E, 102(ab)
 Barrow, SA, 112(ab)
 Barry, T, 117(ab)
 Bender, JM, 140
 Bernstein, C, 115(ab)
 Blackman, LM, 104(ab)
 Bloec, F, 91(le)
 Blondeau, KL, 235
 Boles Ponto, LL, 106(ab)
 Bolton, R, 108(ab)
 Boshko, L, 111(ab)
 Borvinick, EH, 104(ab)
 Boyce, C, 107(ab)
 Boyce, TM, 132, 190
 Bright, S, 177
 Brostek, W, 116(ab)
 Brown, BM, 119(ab)
 Bruni, WL, 103(ab), 104(ab)
 Buchanan, CA, 84
 Burke, RJ, 103(ab)
 Burkholder, R, 119(ab)
 Burns, RJ, 103(ab)
 Bushman, MJ, 69
- Caldwell, E, 111(ab)
 Campbell, CA, 206
 Carlson, C, 107(ab), 115(ab)
 Castell, DO, 112(ab)
 Castronovo, FP, Jr, 224
 Cerceo, R, 104(ab)
 Chambers, CE, 102(ab)
 Charkes, ND, 111(ab)
- Chava, R, 116(ab)
 Chen, CY, 20
 Chen, JTT, 47(br)
 Chen, Q-s, 198
 Cheng, KT, 119(ab), 221
 Cherico, VV, 111(ab)
 Cheung, K, 103(ab)
 Chinol, M, 113(ab)
 Chowdhury, S, 114(ab)
 Chu, RLY, 20
 Clark, J, 106(ab)
 Clarke, MT, 3
 Cloutier, DJ, 104(ab)
 Coleman, RE, 47(br)
 Collier, BD, 171
 Cone, L, 112(ab)
 Conner, M, 179
 Conway, JJ, 93(br)
 Corley, JH, 75, 113(ab), 218
 Corrigan, P, 109(ab)
 Costello, J, 108(ab)
 Cox, T, 116(ab)
 Craddock, TD, 1
 Cristofani, R, 117(ab)
 Croll, D, 111(ab)
 Cronin, V, 117(ab)
 Crosthwaite, MH, 179
 Culver, CM, 115(ab), 116(ab)
 Currie, GM, 106(ab)
 Curry, J, 116(ab)
- Dadparvar, S, 110(ab)
 Dae, MW, 104(ab)
 Davis, RT, 108(ab)
 Deconinck, F, 198
 Deeley, R, 111(ab)
 Defrise, M, 198
 Delaloye, AB, 211
 Delaloye, B, 211
 Delaney, ML, 112(ab)
 Dey, HM, 105(ab)
 Di Mauro, M, 117(ab)
 Dickinson, CZ, 133
 Dickinson, RJ, 106(ab)
 Dines, DA, 105(ab)
 Dione, DP, 103(ab), 104(ab)
 Dobko, TJ, 105(ab)
 Doucette, W, 107(ab)
 Dragotake, SC, 112(ab)
 Dreyer, Z, 108(ab)
 Duch, P, 110(ab)
 Dworkin, HJ, 115(ab), 116(ab), 118(ab), 140
- Eggli, DF, 102(ab)
 Erb, D, 117(ab)
 Erwin, WD, 104(ab)
 Eubig, C, 75, 113(ab), 218
- Fazzi, P, 117(ab)
 Ferency, S, 108(ab)
 Ferraguti, RBL, 118(ab)
 Fetterman, RC, 103(ab)
- Fiers, D, 115(ab)
 Fischer, S, 108(ab)
 Fischman, AJ, 112(ab)
 Flick, P, 111(ab)
 Folks, RD, 107(ab), 109(ab)
 Fraley, MA, 221
 Franken, PR, 198
 Fredrikson, S, 231
 Freitas, J, 115(ab)
 Fugee, Y, 89(le)
- Gagnon, S, 117(ab)
 Galie, E, 3
 Gallik, DM, 103(ab)
 Galt, JR, 114(ab)
 Ganske, MA, 116(ab)
 Garcia, EV, 107(ab)
 Gaskill, M, 115(ab)
 Gebhard, MW, 109(ab)
 George, T, 103(ab)
 Germano, G, 104(ab)
 Giuntini, C, 117(ab)
 Gladding, R, 106(ab)
 Goldsmith, SJ, 112(ab)
 Gordon, L, 221
 Graham, W, 112(ab)
 Grant, SF, 114(ab)
 Grant, YD, 112(ab)
 Gray, BG, 108(ab)
 Groch, MW, 104(ab)
 Grummon, GD, 69
 Guidry, GW, 103(ab), 108(ab)
 Gutkowski, R, 118(ab)
- Habbab, N, 116(ab)
 Hackett, MT, 111(ab)
 Halama, JR, 107(ab)
 Hamamoto, K, 152
 Hamilton, P, 118(ab)
 Hanson, P, 2, 56
 Hart, JW, 113(ab)
 Hartley, L, 119(ab)
 Hawkins, RA, 107(ab), 115(ab)
 Haymond, D, 221
 Heller, GV, 104(ab)
 Hendel, RC, 191
 Hendrix, NS, 133
 Henkin, RE, 107(ab), 109(ab), 239
 Herman, SD, 104(ab)
 Herold, TJ, 27, 118(ab)
 Hiam, J, 50, 51, 95, 183, 241, 242
 Hichwa, RD, 106(ab)
 Higazy, E, 114(ab)
 Hiltz, A, 33
 Ho, B, 104(ab)
 Hoffman, D, 115(ab)
 Hoh, CK, 107(ab)
 Holder, LE, 121(ab)
 Hung, JC, 27, 45(le), 90(le), 109(ab), 110(ab), 111(ab), 114(ab), 118(ab)
- Iberty, TJ, 109(ab)
 Ibrahim, AK, 114(ab)
 Ichise, M, 108(ab)
 Inoue, T, 152
 Isakoff, G, 111(ab)
- Jain, D, 102(ab)
 Jennings, R, 112(ab)
 Jester, D, 111(ab)
 Johnson, C, 116(ab)
 Jonckheer, MH, 198
 Jones, AM, 119(ab)
 Jones, IW, 119(ab)
 Jones, S, 191
 Juni, JE, 115(ab), 116(ab)
 Jywook, S, 112(ab)
- Kantor, JJ, 121(ab)
 Kappes, R, 115(ab)
 Karesh, SM, 109(ab)
 Karp, JS, 105(ab)
 Kehoe, T, 115(ab)
 Kelley, A, 65
 Kelly, M, 116(ab)
 Khanna, S, 107(ab)
 Kirsh, JC, 108(ab)
 Knight, LC, 111(ab)
 Koeppel, JA, 106(ab)
 Kramer, M, 111(ab)
 Krefth, A, 107(ab)
 Krzos, JR, 109(ab)
 Kuo, B, 112(ab)
 Kupfer, SR, 107(ab)
- Lacy, C, 116(ab)
 Lacy, JL, 108(ab)
 Laliberté, F, 117(ab)
 Lambert, R, 117(ab)
 Larson, SM, 112(ab)
 Leibowitz, A, 109(ab)
 Lenkei, SCM, 103(ab)
 Li, J, 104(ab)
 Lipszyc, H, 109(ab)
 Logan, P, 167
 Lot, L, 63
 Lucas, JM, 108(ab)
- Maas, KW, 84
 Macalintal, S, 112(ab)
 Macapinlac, H, 112(ab)
 Machac, J, 103(ab), 109(ab), 112(ab), 113(ab)
 Machin, JL, 121(ab)
 Mahmarian, JJ, 103(ab), 108(ab)
 Mahussain, S, 114(ab)
 Manasia, A, 109(ab)
 Mandell, GA, 84
 Mannting, F, 13
 Marciano, D, 107(ab), 115(ab)
 Markey, JK, 105(ab)
 Marmion, ME, 69
 Marzocchi, S, 118(ab)
 Mattered, J, 114(ab)
- Maurer, AH, 111(ab)
 Mayer, E, 115(ab)
 McCormick, V, 115(ab)
 McGee, MA, 106(ab)
 McLaughlin, AF, 106(ab)
 McMahon, M, 102(ab)
 McManus, NC, 109(ab), 113(ab)
 Meier, DA, 206
 Meikle, S, 105(ab)
 Merry, M, 106(ab)
 Messinger, DE, 104(ab)
 Meyers, A, 24
 Middendorf, M, 116(ab)
 Miller, B, 157
 Miller, C, 109(ab)
 Miltenberger, C, 89(le)
 Miniati, M, 117(ab)
 Mitchell, KD, 108(ab)
 Molesti, D, 117(ab)
 Moore, RH, 182
 Morgan, J, 119(ab)
 Morgan, MG, 13
 Morrison, RT, 63
 Moskowitz, GW, 113(ab)
 Motley, T, 108(ab)
 Mullan, BP, 109(ab)
 Murase, K, 152
 Murphy, J, 110(ab)
 Murthy, S, 112(ab), 113(ab)
- Nagle, CE, 206
 Natale, D, 114(ab)
 Napolello, M, 116(ab)
 Newlin, N, 107(ab)
 Ng, CK, 105(ab)
 Nosco, DL, 69
 Nuechterlein, P, 116(ab)
- O'Connell, W, 104(ab)
 Obermueller, SD, 103(ab)
 Omar, AM, 114(ab)
 Oswald, WM, 27
 Owens, TP, 110(ab)
- Palestro, CJ, 113(ab)
 Pantier, E, 119(ab)
 Park, H-M, 65
 Pendleton, D, 46(le)
 Perdikaris, N, 111(ab)
 Petkovich, NJ, 103(ab)
 Pickett, MW, 48, 94, 178, 179, 235, 240
 Pipes, DW, 69
 Pires Jorge, JA, 211
 Ponto, RA, 115(ab), 116(ab)
 Porter, W, 118(ab)
 Principe, D, 112(ab)
- Reilly, J, 106(ab)
 Reilly, K, 110(ab)
 Religioso, DG, 109(ab)

Rembish, RA, 105(ab)
 Rich, DA, 105(ab)
 Richmond, JW, 106(ab)
 Riggin, SL, 105(ab)
 Robichaud, N, 33
 Rodeghiero Johnston, DJ, 106(ab)
 Rodriguez, A, 110(ab)
 Rosenbaum, D, 108(ab)
 Rosenfeld, S, 93(br)
 Rowe, B, 115(ab)
 Rubin, RH, 112(ab)
 Russell, JK, 110(ab)

Sanders, T, 112(ab)
 Schad, N, 157
 Schulte, WJ, 171
 Schutz-Ferino, C, 116(ab)
 Scott, AM, 112(ab)
 Sexton, CC, 121(ab)

Shafer-Kachel, T, 115(ab)
 Sharpe, WA, 121(ab)
 Shea, DJ, 108(ab)
 Shi, Q-X, 103(ab), 104(ab)
 Shields, AT, 104(ab)
 Sillaman, LE, 104(ab)
 Silver, KM, 106(ab)
 Singer, MJ, 103(ab), 104(ab)
 Sinusas, AJ, 102(ab), 103(ab), 104(ab)
 Smith, RJ, 105(ab)
 Solfanelli, S, 117(ab)
 Solomon, HF, 111(ab), 112(ab)
 Soufer, R, 105(ab)
 Steuart, RD, 63
 Strashun, A, 115(ab)
 Sugawara, Y, 152
 Swarna, US, 103(ab)

Taggart, TR, 110(ab)
 Takamiya, Y, 104(ab)
 Tanada, S, 152
 Taylor, A, 109(ab)
 Taylor, J, 111(ab)
 Taylor, R, 107(ab)
 Thompson, G, 111(ab)
 Thompson, R, 111(ab)
 Threadgill, T, 46(le)
 Tikofsky, RS, 57
 Trembath, LA, 57, 171
 Treves, ST, 108(ab)
 Tulchinsky, M, 102(ab)

Ulanski, JS, 108(ab)
 Urbain, JL, 111(ab)

Vallabhajosula, S, 109(ab)
 Verani, MS, 103(ab), 108(ab)
 Vines, DC, 108(ab)

Vivian, GC, 119(ab)
 Vogt, G, 119(ab)
 Voslar, AM, 57
 Vujic, I, 119(ab)

Wackers, FJT, 102(ab), 103(ab), 104(ab), 114(ab)
 Wagner, RH, 107(ab)
 Waite, SD, 111(ab)
 Walsh, D, 118(ab)
 Ward, J, 107(ab)
 Weiss, S, 55, 131, 189
 White, MP, 103(ab), 104(ab)
 Wieseler, JF, 109(ab)
 Wilson, L, 75
 Wilson, ME, 27, 109(ab), 110(ab), 115(ab)
 Wilson, TL, 113(ab), 218
 Wilson, TS, 108(ab)

Wintch, KM, 24
 Wolfangel, RG, 69
 Wollenweber, LA, 106(ab)
 Wollenweber, SD, 106(ab)
 Woo, S, 115(ab)
 Woodbury, DH, 8

Yoder, J, 75, 113(ab), 218
 Youngblood, D, 20

Zabel, P, 33
 Zager, L, 115(ab)
 Zaret, BL, 102(ab), 103(ab), 104(ab)
 Zimmerman, RE, 108(ab)
 Zolty, IS, 112(ab)
 Zybas, ML, 38

Subject Index—1993

Abstracts, 102

Accreditation, CAHEA's lifespan is extended while allied health organizations debate proposals for post-CAHEA accrediting structure, 241

Activity linearity, Calicheck Test Kit modifications, 91(le)

Alzheimer's disease, role of nuclear medicine in diagnosis, differentiation, management, and potential cure, 38

American Medical Association (AMA), CAHEA lifespan is extended while proposals are made for post-CAHEA accrediting structure, 241

Angiography, radionuclide

cardiac functional imaging with multi-element camera, 157

first-pass, for evaluating cardiotoxic effects of chemotherapy on ventricular function in pediatric oncology patients, 108(ab)

Anticoagulant citrate dextrose (ACD), heparin vs., in vivo comparison with UltraTag RBC kit, 109(ab)

Association of Schools of Allied Health Professionals (ASAHP), 190

Attenuation correction

effect of misalignment between transmission and emission scans on SPECT images, 152

liquid and solid gastric emptying, correlation of rates, 111(ab)

Below regulatory concern (BRC) policy statements, NRC withdraws, 244

Blood flow

assessment of risk area with ^{99m}Tc -sestamibi SPECT, 103(ab)

transit time measurement with lung test object, 20

Blood, labeling system to minimize cross contamination and misadministration, 118(ab)

Blood products, manipulation, personnel and product protection during, 33

Bone

clinical significance of lumbar spine SPECT imaging in early detection of spinal abnormalities, 106(ab)

dual intensity whole body scans, technique for automatic scaling and display of, 115(ab)

positive images in patients with normal or equivocal MRI studies, 24

radionuclide therapy of osseous metastatic disease, 3

renal scan or bone scan, 119(ab)

sarcoma, imaging using ^{201}Tl - and three-phase bone scans, 112(ab)

scintigraphy

incidental finding of rhabdomyolysis, 63
mathematical model for determining radiation exposures surrounding ^{99m}Tc -MDP patients, 224

pediatric, 84

Sr-89 therapy in painful metastases, 133

Book reviews

Frontiers in Cardiovascular Imaging, 239

Imaging of Cardiac Disorders (Vols. I and II), 47

NRCP Commentary No. 7:

Misadministration of Radioactive Material in Medicine—Scientific Background, 93

Nuclear Medicine Procedure Manual, 2nd ed., 93

The Probability That a Particular Malignancy May Have Been Caused by a Specific Irradiation: NCRP Statement No. 7, 93

Brain

death

sequential cerebral blood flow studies in determination, 116(ab)

^{99m}Tc -HMPAO scanning for cerebral viability and, 106(ab)

optimization of SPECT filter selection using brain phantom, 108(ab)

radiopharmaceuticals for imaging, 57

SPECT, effect of misalignment between transmission and emission scans on images, 152

^{99m}Tc -HMPAO SPECT, fasting not necessary prior to, 116(ab)

Camera

multi-element, cardiac functional imaging with, 157

multiwire gamma, first-pass radionuclide angiography for evaluating

cardiotoxic effects of chemotherapy in pediatric patients using, 108(ab)

Prism 3000 multi-detector system, improved quality testing protocols for, 116(ab)

Cardiolite, caution urged in using microwaved ^{99m}Tc -sestamibi, 46(le)

Chromatography

mini-paper systems for ^{99m}Tc -sestamibi and ^{99m}Tc -MAG₃, 45(le)

single strip, for rapid quality control of ^{99m}Tc -exametazide, 118(ab)

Circumferential profiles, following stress injection, evaluation of ^{99m}Tc -tetrofosmin redistribution using, 102(ab)

Clinical Laboratory Improvement

Amendments (CLIA), implementation, 95

Clinton health care plan, 190

Coalition of Allied Health Professionals Task Force, 190

Collimator,

cardiofocal, specially designed for myocardial SPECT imaging, 107(ab)

parathyroid imaging, approach to protocol evaluation, 221

Committee on Allied Health Education and Accreditation (CAHEA), lifespan is extended while proposals are made for post-CAHEA accrediting structure, 241

Computed tomography (CT), compared with MRI and PET scanning, 105(ab)

Computers

hot laboratory use and disposal program written in dBASE IV language, 115(ab)

management of radiation safety records using custom designed forms, 75

utilization of bar-code system in nuclear pharmacy, 27

utilization of bar-code system in positive patient and sample identification for blood labeling procedures, 111(ab)

Congress, newspaper article series on radionuclide and radiotherapy overdoses criticizes NRC and draws response from, 50

Coronary artery disease (CAD)

cardiac functional imaging with multi-element camera, 157

^{99m}Tc -tetrofosmin, new myocardial perfusion agent, 191

in women, technical considerations and project design for large community study of, 104(ab)

Committee on Allied Health Education and Accreditation (CAHEA), restructuring, 53

Critical Task Survey, 235

Cystograms, voiding, radionuclide, 117(ab)

Department of Energy (DOE), parting shot from Watkins could sink FFTF reactor, 54

Dobutamine, intravenous, with ^{99m}Tc -sestamibi SPECT imaging in reactive airways disease, 104(ab)

Dose calibrator, testing, Calicheck Test Kit modifications, 91(le)

Dose limits, proposed, sexual discrimination and, 1

Dosimetry, radiation, mathematical method for determining radiation exposures surrounding ^{99m}Tc -MDP patients, 224

Du Pont Technologist Advisory Board, 190

Education

NRC reconsiders fee exemption for educational institutions, 245
problem-based learning, 231

Ejection fraction

calculation from gated blood pool SPECT images, accuracy using Simpson's rule, 103(ab)

left ventricular, calculated from gated SPECT ^{99m}Tc -sestamibi studies, 107(ab)

Equipment, currently used in United States, NMTCB report 235

Esophagus, transit scintigraphy, utility of multiple liquid and semi-solid swallows in, 111(ab)

European Association of Nuclear Medicine (EANM), European technologists to propose formation of Technologist Committee within, 242

- Exercise**, rest ^{201}Tl /exercise MIBI vs. rest MIBI/exercise MIBI, comparison of defect reversibility, 114(ab)
- Fast Flux Test Facility (FFTF) reactor**, DOE's Watkins and, 54
- Food and Drug Administration (FDA)**, mission and message, 8
- Gallbladder**, impact of abbreviated protocol on hepatobiliary scan interpretation, 206
- Gallium-67**, dynamic acquisition index of delayed uptake in interstitial lung diseases, 117(ab)
- Gamma camera**, multiwire, first-pass radionuclide angiography for evaluating cardiotoxic effects of chemotherapy in pediatric patients using, 108(ab)
- Gastric emptying**
attenuation-corrected liquid and solid, correlation of rates, 111(ab)
radionuclide, correlation between anterior-only and geometric mean method, 65
relationship to changes in gastric pH, 112(ab)
- Harrell, Charles Richard**, In Memoriam, 177
- Harris, Craig**, 182
- Health care plan**, Clinton, 190
- Health Care Reform Task Force**, SNM-TS, 190
- Heart**
cardiotoxic effects of chemotherapy in pediatric oncology patients, first-pass radionuclide angiography in evaluation of, 108(ab)
clinical PET studies, simplified method to position patients, 105(ab)
ejection fraction calculation from gated blood pool SPECT images, accuracy using Simpson's rule, 103(ab)
ejection fraction calculation from gated SPECT $^{99\text{m}}\text{Tc}$ -sestamibi studies, left ventricular, 107(ab)
feasibility of same-day intervention/rest sestamibi cardiac scintigraphy, 103(ab)
gated myocardial perfusion tomography using sestamibi, 13
PET, optimization of patient positioning for, 115(ab)
rest ^{201}Tl /exercise MIBI vs. rest MIBI/exercise MIBI imaging, comparison of defect reversibility, 114(ab)
surface rendering of cardiac perfusion tomographic scans for added evaluation of suspected artifacts and registration misalignments, 107(ab)
 $^{99\text{m}}\text{Tc}$ -tetrofosmin, new myocardial perfusion agent, 191
- Heparin**, ACD vs., in vivo comparison with UltraTag RBC kit, 109(ab)
- Hepatitis**, pulmonary uptake of $^{99\text{m}}\text{Tc}$ -sulfur colloid caused by sustained-release niacin therapy, 218
- Hepatobiliary imaging**, impact of abbreviated protocol on interpretation, 206
- Iatrogenic alterations**, pulmonary uptake of $^{99\text{m}}\text{Tc}$ -sulfur colloid caused by sustained-release niacin therapy, 218
- Indium-111**
different forms, effect on labeling of ^{111}In Macroscint DTPA IgG, 111(ab)
localization of ^{111}In IgG, $^{99\text{m}}\text{Tc}$ -IgG, and ^{111}In WBC at sites of acute bacterial infection in rabbits, 112(ab)
- Indium-111 CYT-103**, practical approach to monoclonal antibody imaging, 171
- Indium-111 monoclonal antibodies**, technical aspects of imaging, 117(ab)
- Infection**, bacterial, acute, in rabbits, localization of ^{111}In IgG, $^{99\text{m}}\text{Tc}$ -IgG, and ^{111}In WBC at sites of, 112(ab)
- In Memoriam**: Charles Richard Harrell, 177
- In My Opinion**, 1, 55, 131, 189
- Iodine-123**, brain imaging, 57
- Iodine-125 sodium iothalamate**, modified radiolabeling method, 118(ab)
- Iodine-131**, as oncology agent, 140
- Joint Review Committee on Nuclear Medicine Technology (JRCNMT)**, Technologist Section seeks members for, 52
- Kidney**
bone scan or renal scan, 119(ab)
effective renal plasma flow determination using $^{99\text{m}}\text{Tc}$ -MAG₃, 119(ab), 162
estimation of excretory index for $^{99\text{m}}\text{Tc}$ -MAG₃ without urine collections, 109(ab)
function
background correction and measurement of injected activity in quantification, 211
evaluation in post-operative liver transplant patients, 109(ab)
- Left ventricular ejection fraction**, calculated from gated SPECT $^{99\text{m}}\text{Tc}$ -sestamibi studies, 107(ab)
- Licensure**, state, for nuclear medicine technologists, 51
- Light sensitivity**, of cold kits and radiopharmaceuticals, photochemical considerations, 90(le)
- Linearity testing procedure**, Calicheck Test Kit modifications, 91(le)
- Liver**
hepatic uptake during $^{99\text{m}}\text{Tc}$ -MAG₃ renography in children, 108(ab)
impact of abbreviated protocol on hepatobiliary scan interpretation, 206
transplant, evaluation of kidney function in post-operative patients, 109(ab)
- Lung**
interstitial diseases, ^{67}Ga dynamic acquisition index of delayed uptake in, 117(ab)
pulmonary uptake of $^{99\text{m}}\text{Tc}$ -sulfur colloid caused by sustained-release niacin therapy, 221
transit time measurement with lung test object, 20
- Magnetic resonance imaging (MRI)**
compared with CT and PET scanning, 105(ab)
gated images of myocardium, automatic segmentation of, 104(ab)
normal or equivocal, positive bone images in patients with, 24
- Mean transit time**, measurement with lung test object, 20
- Message from the President**, 2, 56, 132, 190
- Metastasis**
bone, Sr-89 therapy, 133
osseous disease, radionuclide therapy, 3
- Microwave**, $^{99\text{m}}\text{Tc}$ -sestamibi, caution urged in using, 46(le)
- Monoclonal antibodies**
 ^{111}In , 117(ab)
practical approach to imaging, 171
- Motion detection**, and correction in SPECT imaging, 198
- Myocardial infarction**, closed chest canine model, defect size reproducibly quantified with planar sestamibi imaging in, 104(ab)
- Myocardium**
assessment of early FDG studies, to increase patient throughput, 105(ab)
assessment of risk area with $^{99\text{m}}\text{Tc}$ -sestamibi SPECT, 103(ab)
gated MR images of, automatic segmentation of, 104(ab)
gated perfusion imaging using $^{99\text{m}}\text{Tc}$ -sestamibi SPECT, 13
perfusion
spectacular artifacts produced by pixel overflow, 103(ab)
supine vs. lateral positions in SPECT studies using $^{99\text{m}}\text{Tc}$ -sestamibi, 114(ab)
SPECT, evaluation of specially designed cardiofocal collimator for, 107(ab)
ungated perfusion derived from gated cardiac SPECT using $^{99\text{m}}\text{Tc}$ -sestamibi, 104(ab)
- New drug approval (NDA)**, FDA mission and message, 8
- Niacin therapy**, sustained-release, pulmonary uptake of $^{99\text{m}}\text{Tc}$ -sulfur colloid caused by, 218
- NMTCB**,
NMTCB Report, 48, 94, 178, 240
employment and salary survey results, 179
report on equipment and procedures currently used, 235
- Nuclear medicine**
role in diagnosis, differentiation, management, and potential cure of Alzheimer's disease, 38
routine evaluation of radiochemical purity in nuclear medicine department, 118(ab)
- Nuclear medicine technology**, problem-based learning in education, 231
- Nuclear Medicine Week**
feedback from Europe, 52
subcommittee gears up for 1994, 244
- Nuclear Regulatory Commission (NRC)**
appoints new director for Industrial and Medical Safety Division, 244
changing rules on storage of radioactive waste, 97
newspaper article series on radionuclide and radiotherapy overdoses criticizes, and draws response from Congress, 50
reconsiders fee exemption for educational institutions, 245
withdraws BRC policy statements, 244

- Parathyroid**
 approach to protocol evaluation for imaging, 113(ab), 218
 scintigraphy, ^{99m}Tc-sestamibi, 113(ab)
- Pediatric patients**
 bone scintigraphy, 84
 hepatic uptake during ^{99m}Tc-MAG₃ renography in, 108(ab)
 nuclear medicine in, technical aspects, 108(ab)
 oncology, first-pass radionuclide angiography for evaluating cardiotoxic effects of chemotherapy on ventricular function in, 108(ab)
^{99m}Tc-MAA use in, simple, rapid method for preparation, 109(ab)
 triple-headed dedicated SPECT system and, 108(ab)
 tumor imaging with ²⁰¹Tl- or ^{99m}Tc-MIBI, 117(ab)
- Personnel**
 effect of job duties in contributing radiation exposure to, 110(ab)
 NMTCB employment and salary survey results, 179
 policy concerning continuation of duties of pregnant nuclear medicine technologists, 111(ab)
 protection during manipulation of blood products, 33
 reduction of radiation exposure in newly designed nuclear pharmacy, 110(ab)
- PEW Health Professions Commission Report**, 190
- Phantom**, brain, optimization of brain SPECT filter selection using, 108(ab)
- Pharmacy, nuclear**
 photochemical considerations of light-sensitive cold kits and radiopharmaceuticals, 90(le)
 reduction of radiation exposure to workers, 110(ab)
 utilization of bar-code system, 27
- Positioning**
 optimization for cardiac PET, 115(ab)
 supine vs. lateral, in myocardial perfusion SPECT using ^{99m}Tc-sestamibi, 114(ab)
- Positron emission tomography (PET)**
 cardiac, optimization of patient positioning for, 115(ab)
 compared with CT and MRI, 105(ab)
 image noise texture, precision, and reproducibility in 2D and 3D data, 105(ab)
 quantitative, blood sampling procedure for determining arterial input functions, 106(ab)
- Procedures**, currently used in United States, NMTCB report, 235
- Product protection**, during manipulation of blood products, 33
- Quality control**
 background correction and measurement of injected activity in quantification of renal function, 211
 caution urged in using microwaved ^{99m}Tc-sestamibi, 46(le)
 improved quality testing protocols for Prism 3000 multi-detector camera system, 116(ab)
 mini-paper chromatography systems for ^{99m}Tc-sestamibi and ^{99m}Tc-MAG₃, 45(le)
- rapid, of ^{99m}Tc-exametazide, 118(ab)
^{99m}Tc-MAG₃, labeling conditions and, 69
- Radiation**
 exposure
 effect of job duties of nuclear medicine technologists in contributing to, 110(ab)
 reduction to workers in newly designed nuclear pharmacy, 110(ab)
^{99m}Tc-MDP patients, mathematical method for determination, 224
 safety, management of records using custom designed computer forms, 75
- Radioactivity**, snake venom, 97
- Radionuclide**
 gastric emptying, correlation between anterior-only and geometric mean method, 65
 overdoses, newspaper article series criticizes NRC and draws response from Congress, 50
 therapy of osseous metastatic disease, 3
 voiding cystogram, 117(ab)
- Radiopharmaceuticals**
 for brain imaging, 57
 comparison study of purity analyses for ^{99m}Tc-HMPAO, 110(ab)
 FDA mission and message, 8
 light-sensitive, photochemical considerations, 90(le)
 modified radiolabeling method for sodium iothalamate ¹²⁵I, 118(ab)
 routine evaluation of radiochemical purity in nuclear medicine department, 118(ab)
 single strip chromatography for rapid quality control of ^{99m}Tc-exametazide, 118(ab)
 utilization of bar-code system in nuclear pharmacy, 27
- Radiotherapy**, overdoses, newspaper article series criticizes NRC and draws response from Congress, 50
- Record-keeping**
 cost of exception in documentation, 89(le)
 management of radiation safety records using custom designed computer forms, 75
- Regional wall motion**, cardiac functional imaging with multi-element camera, 157
- Renography**, ^{99m}Tc-MAG₃, hepatic uptake in children during, 108(ab)
- Reprojection**, factors influencing 3-D display, 116(ab)
- Rhabdomyolysis**, incidental finding on bone scintigraphy, 63
- Right ventricular cine data processing**, standardized method for, 102(ab)
- Scintigraphy**
 bone
 incidental finding of rhabdomyolysis, 63
 mathematical model for determining radiation exposures surrounding ^{99m}Tc-MDP patients, 224
 cardiac, ^{99m}Tc-sestamibi, feasibility of same-day intervention/rest, 103(ab)
 esophageal transit, utility of multiple liquid and semi-solid swallows, 111(ab)
 neorectal, modified method for establishing normal pouch emptying, 115(ab)
- parathyroid, ^{99m}Tc-sestamibi, 113(ab)
- Sexual discrimination**, proposed dose limits and, 1
- Single-photon emission computed tomography (SPECT)**
 acquisition modes for bone imaging, 116(ab)
 brain imaging, 57
 cardiac, gated, using ^{99m}Tc-sestamibi, evaluation of ungated myocardial perfusion derived from, 104(ab)
 cerebral
 characteristics of patient motion artifacts in acquisition, 106(ab)
 optimization of filter selection using brain phantom, 108(ab)
 comparison of rotating chair tomography with conventional rotating camera tomography, 121(ab)
 effect of misalignment between transmission and emission scans on images, 152
 factors influencing 3-D reprojection display, 116(ab)
 gated blood-pool images, accuracy of ejection fraction calculation using Simpson's rule, 103(ab)
 lumbar spine imaging, clinical significance in early detection of spinal abnormalities, 106(ab)
 myocardial imaging, evaluation of specially designed cardiofocal collimator for, 107(ab)
 patient motion detection and correction, 198
 planar and high resolution imaging in diagnosis of facet syndrome, 121(ab)
 planar imaging and, differential syringe shield effectiveness using, 167
^{99m}Tc-sestamibi
 assessment of risk area with, 103(ab)
 gated, left ventricular ejection fraction calculated from, 107(ab)
 gated myocardial perfusion imaging, 13
 multigated, ECG signal fluctuation effect on, 107(ab)
 triple-headed dedicated system, early experience in use with pediatric patient, 108(ab)
- Sixth World Congress of Nuclear Medicine & Biology**, will provide technologist program, 245
- Snake venom**, radioactive, sought by scientists, 97
- Society of Nuclear Medicine (SNM)**
 changes, 131
 health care policy coordinator hired to staff office, 53
 Media Stars Contest winners, 186
 notes from 40th annual meeting, 183
 Nuclear Medicine Week Subcommittee gears up for 1994, 244
 OHCP publishes bulletin on health care policy, 98
 Paul Cole Scholarship Awards, 185
 technologist section
 health care reform role, 190
 seeks members for JRCNMT, 52
 structure, 55
 technologist section program: 40th annual meeting, 99
- Sodium iothalamate I-125**, modified radiolabeling method, 118(ab)

- Strontium-89**, therapy in painful bony metastases, 133
- Superconducting Supercollider (SSC)**, project discontinued, 245
- Survey**, NMTCB report on equipment and procedures currently used in United States, 235
- Syringe**, differential shield effectiveness, direct comparisons using SPECT and planar imaging, 167
- Tantalum-178**, gamma camera and, first-pass radionuclide angiography for evaluating cardiotoxic effects of chemotherapy in pediatric patients using, 108(ab)
- Technetium-99m**
brain imaging, 57
radiopharmaceutical adherence to I.V. tubing, 110(ab)
- Technetium-99m-disofenin**, impact of abbreviated protocol on hepatobiliary scan interpretation, 206
- Technetium-99m-exametazime**, single-strip chromatography for rapid quality control of, 118(ab)
- Technetium-99m-HMPAO**
brain SPECT, fasting not necessary prior to, 116(ab)
radiochemical purity analyses, comparison study of, 110(ab)
scanning for cerebral viability and brain death, 106(ab)
- Technetium-99m-IgG**, localization at sites of acute bacterial infection in rabbits, 112(ab)
- Technetium-99m-MAA**, simple, rapid method for preparation for pediatric use, 109(ab)
- Technetium-99m-MAG₃**
effective renal plasma flow determination, 119(ab), 162
excretory index for, estimation without urine collections, 109(ab)
labeling conditions and quality control, 69
mini-paper chromatography systems, 45(le)
renal scarring and, 119(ab)
renography, hepatic uptake in children during, 108(ab)
- Technetium-99m-MDP**
incidental finding of rhabdomyolysis on bone scintigraphy, 63
pediatric bone scintigraphy, 84
radiation exposures surrounding patients, mathematical method for determination, 224
- Technetium-99m-pertechnetate**, transit time measurement with lung test object, 20
- Technetium-99m red blood cells**, parameters for labeling efficiency determination of, optimal centrifugation, 114(ab)
- Technetium-99m-sestamibi**
approach to protocol evaluation for parathyroid imaging, 221
gated cardiac SPECT, evaluation of ungated myocardial perfusion derived from, 104(ab)
gated myocardial perfusion tomography, 13
microwaved, caution urged in using, 46(le)
mini-paper chromatography systems, 45(le)
for parathyroid scintigraphy, 113(ab)
same-day intervention/rest cardiac scintigraphy, feasibility, 103(ab)
- SPECT**
assessment of risk area with, 103(ab)
gated, left ventricular ejection fraction calculated from, 107(ab)
multigated, ECG signal fluctuation effect on, 107(ab)
stress, myocardial perfusion, impact of imaging time post injection, 114(ab)
tumor imaging in children, 117(ab)
uptake patterns in normal and abnormal thyroid glands, 113(ab)
- Technetium-99m-sulfur colloid**, pulmonary uptake caused by sustained-release niacin therapy, 221
- Technetium-99m-tetrofosmin**
evaluation of redistribution using circumferential profiles following stress injection, 102(ab)
new myocardial perfusion agent, 191
- Technologist News**, 50, 95, 179, 241
- Technologist Section**
health care reform role, 190
- Nuclear Medicine Week Subcommittee gears up for 1994, 244
seeks members for JRCNMT, 52
structure, 55
- Thallium-201**
bone and soft tissue sarcoma imaging, 112(ab)
tumor imaging in children, 117(ab)
whole-body scanning, 112(ab)
- Therapeutic nuclear medicine**, ¹³¹I as oncology agent, 140
- Thyroid**
¹³¹I as oncology agent, 140
normal and abnormal, ^{99m}Tc-sestamibi uptake patterns in, 113(ab)
- Transit time**, measurement with lung test object, 20
- Transplantation**, liver, evaluation of kidney function in post-operative patients, 109(ab)
- Tumor-seeking agents**
practical approach to monoclonal antibody imaging, 171
radionuclide therapy of osseous metastatic disease, 3
- Tumors**, ⁸⁹Sr therapy in painful bony metastases, 133
- UltraTag RBC kit**
in vivo comparison of ACD vs. heparin as anticoagulant with, 109(ab)
new method to radiolabel Gelfoam using, 119(ab)
- White blood cells**
blood labeling system to minimize cross contamination and misadministration, 118(ab)
¹¹¹In-labeled, localization at sites of acute bacterial infection in rabbits, 112(ab)
- Whole body scanning**
bone, dual intensity, technique for automatic scaling and display of, 115(ab)
²⁰¹Tl, 112(ab)
- World Congress of Nuclear Medicine & Biology**, will provide technologist program, 245