CONTINUING EDUCATION TEST #1

Radiopharmaceuticals in PET Imaging

For each of the following questions, select the best answer. Then circle the number on the CE Tests Answer Sheet that corresponds to the answer you have selected. Complete the answer sheet. Keep a record of your responses so that you can compare them with the correct answers, which will be published in the next issue of *JNMT*. Answers to these test questions should be returned on the Answer Sheet no later than **February 15, 1999**. An 80% correct response rate is required to receive 1.0 CEH (Continuing Education Hour) credit for each article. SNM Technologist Section members can find their VOICE number on the upper left-hand corner of their *JNMT* mailing labels. If you've joined our Nonmember VOICE Tracking Program, please write *NMVTP* on the Answer Sheet (no extra fee is required). Documentation will appear on your VOICE transcript. Nonmembers who have not joined our Nonmember VOICE Tracking Program must mail a \$10.00 check or money order, made payable to SNM, for each completed quiz. You will receive a certificate of completion indicating credit awarded for receiving a passing score of 80% or better.

tical vendors 106. supply personnel to set up and operate an in-house cyclotron 107. prepare, synthesize and packag unit dose PET isotopes for delivery to surrounding hospitals 108. are not responsible for assuring quality control specifications are met for each dose administered 109. instruct the hospital staff on control specifications are met for each dose administered.	costs	PET center expenses include the
ceuticals. 102. a PET scanner and maintenance 103. laboratory equipment. 104. space and upkeep. 105. all of the above. B. Unit dose PET radiopharmaceutical vendors 106. supply personnel to set up and operate an in-house cyclotron 107. prepare, synthesize and packag unit dose PET isotopes for delivery to surrounding hospitals 108. are not responsible for assuring quality control specifications are met for each dose administered 109. instruct the hospital staff on control specification of control specifications are met for each dose administered	-0000	of:
103. laboratory equipment. 104. space and upkeep. 105. all of the above. B. Unit dose PET radiopharmaceutical vendors 106. supply personnel to set up and operate an in-house cyclotron 107. prepare, synthesize and packagunit dose PET isotopes for delivery to surrounding hospitals 108. are not responsible for assuring quality control specifications are met for each dose administered 109. instruct the hospital staff on control specification of control specifications.	101.	
B. Unit dose PET radiopharmaceutical vendors 106. supply personnel to set up and operate an in-house cyclotron 107. prepare, synthesize and packagunit dose PET isotopes for delivery to surrounding hospitals 108. are not responsible for assuring quality control specifications are met for each dose administered 109. instruct the hospital staff on control specification of control specification of control specification of control specifications are met for each dose administered	102.	a PET scanner and maintenance.
B. Unit dose PET radiopharmaceutical vendors 106. supply personnel to set up and operate an in-house cyclotron 107. prepare, synthesize and packagunit dose PET isotopes for delivery to surrounding hospitals 108. are not responsible for assuring quality control specifications are met for each dose administered 109. instruct the hospital staff on control specification of control specification of control specification of control specifications are met for each dose administered	103.	laboratory equipment.
B. Unit dose PET radiopharmaceutical vendors 106. supply personnel to set up and operate an in-house cyclotron 107. prepare, synthesize and packageunit dose PET isotopes for delivery to surrounding hospitals 108. are not responsible for assuring quality control specifications are met for each dose administered 109. instruct the hospital staff on control specifical staff on contro		
tical vendors 106. supply personnel to set up and operate an in-house cyclotron 107. prepare, synthesize and packag unit dose PET isotopes for delivery to surrounding hospitals 108. are not responsible for assuring quality control specifications are met for each dose administered 109. instruct the hospital staff on control specifications are met for each dose administered.	105.	all of the above.
 106. supply personnel to set up and operate an in-house cyclotron 107. prepare, synthesize and packag unit dose PET isotopes for delivery to surrounding hospitals 108. are not responsible for assuring quality control specifications are met for each dose administered 109. instruct the hospital staff on control specifications control specifications. 	В.	Unit dose PET radiopharmaceu-
operate an in-house cyclotron 107. prepare, synthesize and packag unit dose PET isotopes for deliv ery to surrounding hospitals 108. are not responsible for assurin quality control specifications ar met for each dose administered 109. instruct the hospital staff on cor	tical	vendors
 107. prepare, synthesize and packag unit dose PET isotopes for delivery to surrounding hospitals 108. are not responsible for assuring quality control specifications are met for each dose administered 109. instruct the hospital staff on control specification of the control speci	106.	
ery to surrounding hospitals 108. are not responsible for assuring quality control specifications are met for each dose administered 109. instruct the hospital staff on control specifications.	107.	prepare, synthesize and package
108. are not responsible for assuring quality control specifications are met for each dose administered 109. instruct the hospital staff on control of the control of th		그 없는데 가장을 하게 되면 하게 하면 이 경기를 하게 되었다. 그런 사람들은 그 그 이 사람들이 되었다.
quality control specifications are met for each dose administered 109. instruct the hospital staff on cor	108	이 없이 그 사람들이 되었다. 이 나는 집에 하는 사람들이 되었다면 하는 것이 없는 것이 없는 것이 없다면 없다.
met for each dose administered 109. instruct the hospital staff on cor		(Park) (2017) (Carlotte Carlotte Carlo
109. instruct the hospital staff on cor	100.	어제 속이를 열심을 하다 살아왔다. 이번에 살아왔다면 하는데 하는데 하는데 안 되었다면 하는데
[2] [1] [1] [1] [1] [1] [1] [1] [1] [1] [1	100.	
rect procedures for performing		
HOLD NO. (100m)		instruct the hospital staff on cor-
before injection		instruct the hospital staff on correct procedures for performing
110. all of the above		instruct the hospital staff on cor- rect procedures for performing quality control on the products

- C. Sodium iodide crystals in conventional SPECT cameras are insufficient for PET imaging because
- 111. the high-energy photons pass through the crystal without interaction
- 112. the time for scintillations to occur within the crystal is too long, causing inaccurate detection at high count rates
- 113. the crystals cannot be manufactured in quantity
- 114. 111 and 112
- 115. none of the above

- **D.** Characteristics of PET isotopes include:
- 116. release of two 511-keV photons in 180° angles.
- 117. have long half-lives.
- 118. have multiple energy peaks.
- 119. 116 and 117.
- 120. none of the above.
- **E.** Positron emitters are available in a generator form.
- 121. true
- 122. false
- **F.** The physical half-life of ¹⁵O is
- 123. 20 sec
- 124. 2 min
- 125. 10 min
- 126. 20 min
- 127. 2 hr
- **G.** Although ¹⁵O is clinically useful, it has limited applications in the traditional nuclear medicine department because
- 128. the department lacks the appropriate equipment for imaging
- 129. the short half-life of ¹⁵O limits it from being used unless there is an on-site cyclotron
- 130. ¹⁵O has been shown to not image well on SPECT cameras
- 131. ¹⁵O is too expensive to use except in research institutes
- 132. 128 and 130
- **H.** Nitrogen-13 ammonia is used for
- 133. myocardial blood flow studies
- 134. myocardial metabolism
- 135. cerebral oxygen consumption
- 136. blood-pool studies
- 137. 135 and 136

- Carbon-11 fatty acids can be used to study myocardial metabolism.
- 138. true
- 139. false
- **J.** Fluorine-18-labeled FDG can be used for which of the following imaging studies?
- 140. Localization of seizure focus.
- 141. Localization of active tumors throughout the body.
- 142. Myocardial metabolism.
- 143. 141 and 142 only.
- 144. 140, 141 and 142.
- **K.** Minimizing exposure when handling PET isotopes can be done by
- 145. increasing the amount of shielding
- 146. increasing the amount of time during which the dose is handled
- leaving the dose unshielded for extended periods of time
- 148. allowing patients to wait in a busy waiting room between the injection and the scan
- 149. 145 and 148
- **L.** PET isotopes can interfere with image acquisition on other cameras.
- 150. true
- 151. false
- **M.** Approximately how long must ¹⁸F waste be held for decay?
- 152. 2 hr
- 153. 2 wk
- 154. 24 hr
- 155. 24 days
- 156. 2 mo

CONTINUING EDUCATION TEST #2

Patient Education: A Mandate for Health Care in the 21st Century

N.	When	was the	Patie	nt's Bill of
				education,
passed	by the	Americ	an Ho.	spital Asso-
ciation	?			
157. 19	912			

158. 1957

159. 1972

160 1992

161. 1997

- **O.** Patient and family education was mandated by JCAHO in _____.
- 162. 1904
- 163. 1954
- 164. 1974
- 165. 1994
- 166. 1997
- **P.** 100% of all U.S. hospitals provide formal patient education programs. 167. true
- 168. false
- **Q.** Which of the following are reasons used by hospitals to implement patient education programs?
- 169. Accreditation mandates.
- 170. State mandates.
- 171. Attract patients.
- 172. 169 and 170.
- 173. 169, 170 and 171.
- **R.** Which of the following is a means of care that uses patient education as a central aspect of the treatment process?
- 174. Patient-focused care.
- 175. Total quality management.
- 176. Clinical pathways.
- 177. 174 and 175.
- 178. 174, 175 and 176.

- **S.** When is the motivation to learn typically greatest?
- 179. When the patient identifies a need.
- 180. When the information will appear to fill a need.
- 181. When the teacher indicates the need to learn.
- 182. 179 and 180 only.
- 183. 180 and 181 only.
- 184. 179, 180 and 181.
- **T.** People with an internal locus of control generally ______.
- 185, attribute success or failure to their own abilities
- 186. attribute success to luck
- 187. attribute failure to task difficulty
- 188. see little need to engage in health care interventions
- 189. 186 and 187
- **U.** What do most patients want to know before a procedure?
- I. How much radiation they will receive.
- II. Whether the technologist is competent.
- III. What exactly will be done to them.
- 190. I and II only.
- 191. I and III only.
- 192. II and III only.
- 193. I, II, and III.
- **V.** Which of the following cultures might find too much space inappropriate to conversation?
- 194. Anglo-Saxon.
- 195. Asian.
- 196. African-American.
- 197. Middle Eastern.
- 198. 195 and 197.

- **W.** Miller's study indicated that most people can understand up to the number ______in concrete terms.
- 199. 3
- 200. 5
- 201. 7
- 202. 9 203. 11
- **X.** Most illiterate or semiliterate patients will ask for clarification of written patient education material they do not understand.
- 204. true
- 205, false

Answers to CE Article Test #1, September 1998

The continuing education article "Indium-111 Satumomab Pendetide" by Bohdiewicz was accompanied by a CE test. The correct answers are as follows.

do lonowo.				
A. 101	D. 111	G. 120	J. 127	M. 137
B. 104	E. 113	H. 123	K. 130	N. 142
C. 109	F. 116	l. 126	L. 134	0. 146

Answers to CE Article Test #2, September 1998

The continuing education article "Nuclear Cardiology, Part III" by Everaert, et al. was accompanied by a CE test. The correct answers are as follows.

P. 148	R. 160	T. 170	V. 181	X. 189
Q. 154	S. 165	U. 177	W. 187	Y. 191

Nonmembers \$10 Fee per Test

CONTINUING EDUCATION TESTS #1 and #2 **Answer Sheet** Name _ _ Title _ Hospital or Facility _____ _____ Dept. _____ Street Address ______ City ______ State ____ Zip ____ Phone (____) ____ VOICE/Membership No. _____ Or Check: Nonmember—check for \$10 per test enclosed Today's Date___ Return a copy of this answer sheet no later than February 15, 1999 to: Continuing Education Coordinator, Journal of Nuclear Medicine Technology Marcia Ferg, The Society of Nuclear Medicine, 1850 Samuel Morse Dr., Reston, VA 20190. FAX: 703-708-9015. v26. n4 12/98