

Author Index—1995

- Abdel-Nabi, H, 116(ab), 117(ab)
 Ackermann, RJ, 110(ab), 117(ab), 120(ab)
 Adcock, D, 33
 Adiseshan, P, 112(ab)
 Aksut, S, 111(ab)
 Alavi, A, 119(ab)
 Alazraki, N, 117(ab), 121(ab)
 Albizem, H, 112(ab)
 Anderson, R, 119(ab)
 Areeda, J, 111(ab)
 Argenyi, E, 114(ab)
 Arrighi, JA, 113(ab), 120(ab)
 Atkins, HL, 116(ab)
 Ayers, LM, 118(ab)
- Bailey, D, 128(ab)
 Baird, T, 110(ab)
 Barron, TL, 128(ab)
 Baune, DA, 115(ab)
 Bavaria, G, 111(ab)
 Bayouth, JE, 275
 Bello, S, 113(ab)
 Benjamin, C, 111(ab)
 Benjamin, E, 117(ab)
 Benson, S, 129(ab)
 Berman, DS, 111(ab)
 Beyea, D, 173
 Blea-Geis, M, 127(ab)
 Blend, MJ, 167, 301, 121(ab)
 Bloe, F, 82
 Blok, L, 118(ab)
 Blondeau, K, 304, 46S
 Bloom, DA, 119(ab)
 Blume, P, 120(ab)
 Boldizar, SC, 127(ab)
 Boudreau, D, 173
 Brown, ML, 118(ab)
 Brown, TF, 176, 114(ab)
 Budger, PA, 190
 Burger, ML, 112(ab)
 Burke, G, 195, 299
 Burkes, KG, 202
 Buscombe, J, 262
 Buscombe, JR, 12
 Bush, CR, 127(ab)
 Butler, SP, 49
 Byrom, E, 167
- Cantrell, JB, 121(ab)
 Carey, JE, 144
 Carlson, C, 127(ab)
 Carlson, E, 128(ab)
 Carlson, KA, 127(ab)
 Carlson, L, 291
 Carrimon, FL, 126(ab)
 Cassel, D, 111(ab)
 Chadbourne, DG, 126(ab)
 Chang, CW, 113(ab)
 Chen, C-T, 176
 Childs, J, 262
 Chou, J, 176
 Chou, KL, 113(ab)
- Chowdhury, S, 117(ab)
 Christian, PE, 99, 197, 115(ab)
 Chu, CJ, 113(ab)
 Clark, J, 114(ab)
 Clarke, G, 12
 Coates, DM, 18
 Coates, GG, 70
 Cofresi, E, 29
 Cole, PW, 123(ab)
 Coleman, RE, 18, 114(ab)
 Connolly, L, 119(ab)
 Cooper, MD, 176, 114(ab)
 Corbett, JR, 110(ab), 112(ab)
 Corley, J, 195, 299
 Corrigan, P, 121(ab)
 Cosimi, AB, 121(ab)
 Coughlin, JE, 127(ab)
 Cradduck, TD, 21S
 Crawford, E, 291
 Cronin, V, 116(ab)
 Cronin, VR, 209
 Crosthwaite, MH, 304
 Cuklanz, EJ, 48S
 Culver-Schultz, C, 122(ab)
 Curtis, P, 8S
 Cutrone, J, 129(ab)
- Dachille, MA, 114(ab), 122(ab), 124(ab)
 Daher, E, 111(ab)
 Daley, LJ, 120(ab)
 Danz, V, 114(ab)
 Datz, FL, 197, 115(ab)
 Davis, RT, 119(ab)
 Delbeke, D, 115(ab)
 Dell, MA, 217
 Denny, LL, 114(ab)
 DePuey, EG, 158
 Dey, HM, 113(ab), 120(ab)
 Diaz, M, 275
 DiBella, EVR, 112(ab)
 Diggles, L, 129(ab)
 Dillehay, G, 115(ab)
 Donaghy, T, 49
 Durack, LD, 65
 Dworkin, H, 8S
- Eades, CG, 181
 Eary, JF, 65
 Eck, L, 217
 Ehrhardt, GJ, 118(ab)
 Eisenberg, B, 70
 Eisner, RL, 112(ab)
 Ell, PJ, 12
 Elliott, E, 117(ab)
 Erb, D, 209, 117(ab)
 Erwin, WD, 116(ab)
 Eshima, D, 117(ab), 121(ab)
 Ettinger, LM, 29
 Evans-Blumer, MS, 118(ab)
- Fahey, FH, 181
 Ficaro, EP, 110(ab), 112(ab)
 Filipow, L, 3
 Fisher, GA, 119(ab)
 Fisher, S, 118(ab)
 Forrester, JW, 115(ab)
 Frey, KA, 120(ab)
 Friedman, J, 111(ab)
 Fujinaga, T, 115(ab)
 Gage, HD, 181
 Gagnon, A, 111(ab)
 Galantowicz, P, 116(ab)
 Garcia, H, 121(ab)
 Garrison-Delano, DA, 110(ab)
 Gaskill, M, 122(ab)
 Geyer, MC, 186
 Gibbons, DL, 181
 Gibbons, RJ, 267
 Gilliam, LD, 112(ab)
 Gilster, BG, 126(ab)
 Gioia, G, 111(ab)
 Gleue, AD, 22
 Glowniak, JV, 56, 150, 231
 Glynn, RB, 267
 Gorham-Ostrom, P, 118(ab)
 Graham, JS, 128(ab)
 Greenberg, HS, 120(ab)
 Groch, MW, 116(ab)
 Gropler, RJ, 110(ab)
 Gross, GP, 26, 218
 Gulbarndson, J, 128(ab)
 Gulberg, GT, 197
- Habboush, I, 119(ab)
 Hackett, MT, 289
 Halama, JR, 115(ab)
 Hall, ML, 12
 Hamblen, SM, 18, 114(ab)
 Han, S, 202
 Handley, E, 129(ab)
 Hanson, MW, 18
 Harkness, BA, 181
 Harp, E, 33
 Harris, AJ, 120(ab)
 Harris, CC, 16S
 Harris, JM, 251
 Haug, CE, 121(ab)
 Hauser, MF, 77
 Hawk, TC, 18, 114(ab)
 Heller, GV, 112(ab), 124(ab)
 Helton, JD, 128(ab)
 Hendel, RC, 186, 113(ab)
 Heneghan, W, 121(ab)
 Henkin, RE, 115(ab)
 Heo, J, 111(ab), 112(ab), 124(ab)
 Herda, S, 117(ab), 121(ab)
 Herold, TJ, 26, 218, 122(ab), 126(ab), 127(ab)
- Herzog, SA, 258
 Hichwa, R, 114(ab)
 Hill, J, 122(ab)
 Hilson, AJW, 12
 Hitt, J, 114(ab)
 Hoffman, H, 75
 Hoffman, JM, 18
 Hoh, CK, 127(ab)
 Holbert, M, 118(ab)
 Hollar, BS, 77
 Horns, CJ, 121(ab)
 Hope, E, 127(ab)
 Houle, S, 123(ab)
 Hung, JC, 26, 77, 87, 190, 215, 218, 267, 282, 117(ab), 122(ab), 124(ab), 126(ab), 127(ab), 128(ab)
 Hussey, D, 123(ab)
- Inampudi, CS, 251
 Intenzo, C, 120(ab)
 Iskandrian, AS, 111(ab), 112(ab), 124(ab)
- Jackson, S, 3
 Jacobson, AF, 258
 Jadali, F, 114(ab)
 Jendhoff, W, 122(ab)
 Jensen, DG, 93
 Johnson, DT, 123(ab)
 Johnson, LL, 27S
 Jones, C, 123(ab)
 Jucius, RA, 197
 Juni, J, 122(ab)
- Kaminski, M, 118(ab)
 Kania, DR, 202
 Kapur, S, 123(ab)
 Karel, S, 118(ab)
 Karesh, S, 119(ab)
 Karvelis, KC, 279
 Kasi, LP, 275
 Keenan, R, 118(ab)
 Kessler, M, 117(ab)
 Ketrin, AR, 118(ab)
 Keyes, JW Jr, 181
 Khalkhalie, I, 129(ab)
 Kiat, H, 111(ab)
 Kim, S, 120(ab)
 Kim, SM, 116(ab)
 Kimmel, MA, 121(ab)
 Kincaide, L, 127(ab)
 Koeppl, J, 114(ab)
 Komiyama, N, 115(ab)
 Kondas, D, 122(ab)
 Kozar, J, 119(ab)
 Kreft, A, 115(ab)
 Kreis, J, 116(ab)
 Krishnamurthy, GT, 35S, 116(ab)
 Krishnamurthy, S, 35S
 Kritzman, JN, 110(ab), 117(ab)
 Kuhn, SA, 91
 Kumpuris, TM, 144
 Kupfer, SR, 127(ab)
- Lahti, DS, 119(ab)
 Lajeunesse, S, 111(ab)
 Lalush, DS, 112(ab)
 Landreneau, R, 118(ab)
 Lane, SM, 202
 Lee, FT, 70
 Lee, J, 121(ab)
 Leidholdt, EM, 116(ab)
 Leonard, SM, 113(ab)
 Lin, HM, 113(ab)
 Liu, H-G, 251
 Liu, RS, 113(ab)
 Lopez, IA, 121(ab)
 Luczon, NB, 126(ab)
- Macey, DJ, 275
 MacIntyre, WJ, 16S
 Mahoney, DW, 190
 Mann, JB, 127(ab)
 Manthei, D, 122(ab)
 Marshall, D, 262
 Marshall, RC, 116(ab)
 Martel, MK, 117(ab)
 Martin, WH, 115(ab)
 Maruno, T, 115(ab)
 Mascitelli, V, 124(ab)
 Masini, D, 158
 Mausner, L, 116(ab)
 McBride, J, 122(ab)
 McCormick, V, 122(ab)
 McDonald, N, 75
 McEnerney, K, 127(ab)
 McKay, E, 49
 McMahon, M, 112(ab), 124(ab)
 Melancon, S, 158
 Meredith, SL, 127(ab)
 Metz, JT, 176, 114(ab)
 Milan, E, 124(ab)
 Milko, DL, 114(ab), 122(ab), 124(ab)
 Miller, C, 3
 Milton, JG, 114(ab)
 Mintun, MA, 114(ab), 122(ab), 124(ab)
 Mogck, S, 128(ab)
 Mohr, WW, 215
 Moore, H, 202
 Moore, RH, 121(ab)
 Morey, S, 116(ab), 123(ab)
 Morgan, HT, 197
 Morris, GL, 123(ab)
 Mose, T, 128(ab)
 Mountz, JM, 251
 Mrhac, L, 271
 Mudun, A, 117(ab)
 Murata, H, 115(ab)
 Murphy, B, 116(ab)
 Murray, D, 117(ab)
- Nabi, HA, 209
 Nallamothu, N, 124(ab)
 Narahara, KA, 126(ab)
 Natale, D, 111(ab)
 Nelp, Wil B, 2S
 Neria, A, 117(ab)

Ng, CK, 113(ab)	Prussin, SG, 202	Schmarkey, LS, 112(ab)	Swailem, F, 116(ab), 123(ab)	Wagner, HN Jr, 18
Nightengale, B, 36	Quinn, R, 49	Sell, TL, 18	Sy, WM, 121(ab), 122(ab)	Wahl, RL, 117(ab), 118(ab)
Nowak, DJ, 112(ab)	Rabito, CA, 121(ab)	Seo, IS, 121(ab)	Taillefer, R, 111(ab)	Wahner, HW, 124(ab)
Ogg, J, 126(ab)	Rafter, W, 119(ab)	Shah, A, 120(ab)	Takamiya, Y, 121(ab)	Walsh, TK, 116(ab), 123(ab)
Onoguchi, M, 115(ab)	Raibon, S, 299	Shah, JH, 116(ab)	Talor, A, 121(ab)	Watkins, L, 114(ab)
Oswald, WM, 124(ab)	Raubitschek, AA, 29	Shattuck, L, 117(ab), 121(ab)	Taylor, A, 117(ab)	Watson, C, 120(ab)
Owens, TP, 87, 267	Regan, D, 118(ab)	Shirazi, P, 75	Thorson, LM, 282, 123(ab), 126(ab)	Whatley, M, 117(ab)
Paavola, PC, 126(ab)	Reid, TL, 128(ab)	Shonubi, Y, 121(ab)	Tolkoff-Rubin, N, 121(ab)	White, M, 112(ab)
Page, MA, 120(ab)	Reissman, R, 120(ab)	Shulkin, BL, 119(ab)	Townsend, CE, 12	White, MP, 124(ab)
Pancholy, S, 111(ab)	Ricci, AR, 127(ab)	Silagan, G, 111(ab)	Townsend, D, 114(ab)	Williams, A, 82
Panzini, PJ, 121(ab), 122(ab)	Rich, DA, 113(ab)	Simpkin, D, 118(ab)	Toyama, H, 115(ab)	Williams, DA, 127(ab)
Papatheofanis, FJ, 75	Richmond, JCW, 114(ab)	Simpson, L, 116(ab)	Travin, MI, 27S, 112(ab)	Williams, JL, 127(ab)
Park, C, 120(ab)	Rosner, N, 121(ab)	Simpson, N, 122(ab)	Trebes, JE, 202	Williams, LE, 29
Park, CH, 116(ab)	Rouse, GB, 127(ab)	Smart, R, 49	Treves, ST, 119(ab)	Wilson, RA, 302
Patel, BA, 167	Rubin, PJ, 110(ab)	Smeltzer, W, 117(ab)	Tripp, DA, 197	Wiseman, MB, 124(ab)
Patel, J, 116(ab), 120(ab)	Ruffin, TT, 289	Smith, E, 113(ab)	Tsui, BMW, 112(ab)	Witek, S, 121(ab)
Patterson, RE, 112(ab)	Russell, A, 112(ab), 124(ab)	Smith, KF, 121(ab), 122(ab)	Turkalj, A, 282, 123(ab)	Wollan, PC, 190
Pattillo, R, 112(ab)	Russell, J, 111(ab)	So, BT, 114(ab)	Turkington, TG, 114(ab)	Wong, JYC, 29
Patton, JA, 115(ab)	Russell, JK, 112(ab), 124(ab)	Sollenbarger, J, 116(ab), 123(ab)	Ulanski, JS, 119(ab)	Wood, GA, 49S
Peak, SL, 126(ab)	Ruszkiwicz, JA, 114(ab), 122(ab), 124(ab)	Soufer, R, 113(ab), 120(ab)	Uygur, G, 114(ab)	Wrobel, MC, 144
Perdikaris, N, 289	Ryan, JA, 70	Speaker, T, 129(ab)	Vansant, J, 117(ab)	Wu, J, 113(ab)
Perez, MT, 112(ab)	Ryan, P, 262	Spicer, JA, 22	Van Train, KF, 111(ab)	Yasillo, NJ, 176
Perez-Monte, J, 120(ab)	Saidi, N, 127(ab)	Spies, SM, 186	Vohs, K, 114(ab)	Yeh, SH, 113(ab)
Pham, C, 120(ab)	Salih, O, 271	Spies, WG, 186	Votaw, DB, 113(ab)	Yoder, J, 195, 299
Podoloff, DA, 275	Sandler, MP, 115(ab)	Spracklen, H, 202	Votaw, JR, 113(ab)	Yu, TW, 113(ab)
Porter, DV, 124(ab)	Schauwecker, DS, 127(ab)	Srivastava, SC, 116(ab)	Wackers, FJT, 111(ab)	Zakk, S, 271
Porter, W, 202	Scheff, A, 119(ab)	Stalteri, M, 118(ab)	Van Train, KF, 111(ab)	Zasadny, K, 118(ab)
Porter, WC, 217, 279		Stradling, P, 129(ab)	Vohs, K, 114(ab)	Zhang, J, 120(ab)
Poss, T, 129(ab)		Strane, TR, 118(ab)	Votaw, DB, 113(ab)	Zhang, JJ, 116(ab)
Prekeges, JL, 70		Stuyvesant, KE, 91	Votaw, JR, 113(ab)	Zimmer, AM, 186
Preston, DF, 22			Wackers, FJT, 111(ab)	Zuroska, DM, 33

Subject Index—1995

- Algorithms**, clinical audits and, scintigraphic imaging of infection, 262
- Antioxidants**, fighting free radicals, cancer, and radiation damage, 129(ab)
- Artifacts**
gated SESTAMIBI and blood-pool SPECT, optimized imaging protocols, 116(ab)
motion, evaluation in cardiac PET images, 113(ab)
- Attenuation correction**
energy-weighted acquisition, physical characteristics and clinical utility, Tc-99m and Ga-67, 49
gated Tc-99m SESTAMIBI SPECT, technical considerations, 112(ab)
heterogeneity of SPECT bull's eyes, normal dogs, 112(ab)
- PET, repositioning myocardial studies, after bicycle exercise, 18
planar imaging, activity quantification review, 3
- SPECT transmission imaging, patient and occupational radiation exposure, 197
transmission-emission misalignment, brain PET, evaluation, 181
uncorrected and, normal myocardial perfusion polar map analysis, comparison, 110(ab)
- Automated injector**, shielded, beta-emitting radionuclides, 29
- Bar code**, programmable portable scanners and printers, radiolabeling blood procedures, 124(ab)
- Biodistribution**, data collection techniques, radiolabeled monoclonal antibodies, preradioimmunotherapy imaging, cancer therapy, 65
- Biokinetics**, heart/organ ratio and, Tc-99m furifosmin, imaging protocol relevance, 111(ab)
- Bladder**, distention/irrigation, in F-18 FDG PET imaging for cancer, 114(ab)
- Blood-radiolabeling procedures**, use of programmable and portable bar code scanners and printers, 124(ab)
- Blood samples**, studies with, possibility of avoiding standards, 271
- Bone metastasis**
pain relief, Sr-89, measurement in dose calibrator, 26
quantification of whole-body retention of Sn-117m DTPA (4), imaging protocol, 116(ab)
- Book reviews**
Mice, Myths and Men, 301
Physics and Radiobiology of Nuclear Medicine, 99
The Role of Tc-99m SESTAMIBI in the Evaluation of Myocardial Viability, 302
- Brachytherapy**, history, cancer survivor versus cancer victim, 128(ab)
- Brain**
cystic tumor, P-32 chromic phosphate injection, 195
PET, transmission-emission misalignment, evaluation, 181
- scanning, rectilinear scanner and, decline and fall, history of nuclear medicine instrumentation 19701995, 16S
Tc-99m SPECT, multiheaded, optimal reconstruction filter parameters, count activity, 251
- Brake radiation**, beta-emitting radionuclides, shielded automated injector, 29
- Breast cancer**
canine, PET and SPECT, 127(ab)
detection, Tc-99m MIBI and Tc-99m MDP comparison, 129(ab)
- Calibrators**, radionuclide, dispensation of therapeutic amounts, Ho-166, 275
- Calibrator-well detector**, blood sample studies, possibility of avoiding standards, 271
- Cancer**, therapy, preradioimmunotherapy imaging, radiolabeled monoclonal antibodies, data collection techniques, 65
- Carbon-14 urea**, breath test, peptic ulcer disease management, new role of nuclear medicine, 299
- Cardiology**, nuclear, current status and future directions, 27S
- Chromatography**
miniaturized and standard, system comparison, Tc-99m tetrofosmin rapid quality control, 186
thin-layer, radiochemical purity testing procedure, Tc-99m bicisate, 190
- Cisternography**, I-111 DTPA, quantification of cerebroventricular clearance, 120(ab)
- Cold kits**, light-sensitive, packaging, letter, 215(le)
- Collimators**
artifacts, planar and SPECT gamma camera images, multicenter study, 167
parallel-hole, structural integrity assessment, 173
Siemens cardiofocal, myocardial perfusion imaging with decreased acquisition duration, assessment, 115(ab)
- Colorectal carcinoma**, radioimmunoscintigraphy, In-111 radiolabeled monoclonal antibodies, technical and practical guidelines, 209
- Computed tomography (CT)**, registration of lung SPECT and, pneumonitis detection, high-dose radiotherapy, lung cancer patients, 117(ab)
- Computers**
Internet, introduction
history/organization/function, 56
obtaining access, 150
services, 231
- nuclear medicine, history, 19701995, 21S
subtraction methods, TI-201/Tc-99m parathyroid images, 70
wide-area network nuclear medicine PACS, 115(ab)
- Congestive heart failure**, Tc-99m HMPAO-labeled white blood cells, persistent cardiac and pulmonary activity of, 121(ab)
- Contamination**, I-131 capsules, additional radiation safety concerns, 289
- Coronary artery disease**
detection, TI-201 versus Tc-99m SESTAMIBI, cost effectiveness, commentary, 36
pharmacological stress testing, dobutamine use, dosage comparison for optimal result, 128(ab)
- Cost effectiveness**, TI-201 versus Tc-99m SESTAMIBI, coronary artery disease detection, commentary, 36
- Cost reduction**, radiopharmaceuticals, nuclear medicine department, 122(ab)
- Craniopharyngioma**, P-32 chromic phosphate, injection preparation, 195
- Cyclosporine**, effect on Tc-99m RBC labeling, Ultratag in vitro RBC kit, 22
- Cystography**, nuclear, comparison of warm and room temperature saline in, 119(ab)
- Digital imaging**, digital dry-film laser printing system, clinical experience, 122(ab)
- Dobutamine**, pharmacological stress testing, dosage comparison for optimal result, 128(ab)
- Dosage measurement**, Sr-89, comparison of dose calibrator and eta C counter, 126(ab)
- Dose calibration**, Tc-99m, instrumented shield system, 202
- Dose calibrator**, Sr-89 measurement letter, 216(le), 217(le)
reply, 218
technique, 26
- Dosimetry**
bone marrow, performance in non-Hodgkin's lymphoma patients, technical considerations, 118(ab)
finger exposure, ring badge position, nuclear medicine technologists, 33
multiple intravenous O-15 water injections, PET, radiation exposure reduction techniques, 122(ab)
nuclear medicine technologists, hand and whole-body radiation exposure, effect of job duties on, 87
radiation exposure, personnel monitoring observations, 82
radiation exposure reduction techniques, new injection device, PET, 122(ab)
- Drug use**, evaluation, cardiac stress test, assessment, 267
- Dual-isotope imaging**, simultaneous, In-111-labeled white blood cells and Tc-99m MDP bonescan, osteomyelitis diagnosis, 123(ab)
- Education**, nuclear medicine technology training, difficulty and controversy, 291

- Electrocardiogram**, comparison of gated and ungated SPECT, regional myocardial uptake with Tc-99m, assessment, 115(ab)
- Energy-weighted acquisition**, physical characteristics and clinical utility, Tc-99m and Ga-67, 49
- Epilepsy**
 - foci detection, using normal reference values for regional glucose metabolism, F-18 FDG PET, 114(ab)
 - pediatric, F-18 FDG PET with MRI alignment, imaging techniques, 124(ab)
- Ficoll-Hypaque**, single-gradient with hypotonic lysis method, leukocytes separation, evaluation, 282
- Fingers**, exposure, ring badge position, nuclear medicine technologists, 33
- Fistulas**, arteriovenous, radionuclide fistulogram, methodology, 121(ab)
- Flood image**, structural integrity assessment, parallel-hole collimator, 173
- Floods**, water-filled sources, uniformity checks, sufficiency of accuracy, 126(ab)
- Fluorine-18 FDG**
 - PET
 - measuring metabolic function, technical considerations, 176
 - MRI alignment and, pediatric epileptic patient, 124(ab)
 - myocardial imaging, oral glucose loading regimen, optimization, 110(ab)
 - using normal reference values for regional glucose metabolism, epileptic foci detection, 114(ab)
 - whole-body, optimal processing of metastatic tumor, 116(ab)
 - Tc-99m SESTAMIBI and, simultaneous acquisition SPECT, technical performance, 115(ab)
 - whole-body imaging for cancer, bladder distention/irrigation in, 114(ab)
- Foot**, ergometer, lymphoscintigraphy, 124(ab)
- Free radicals**, fighting cancer, radiation damage, and, antioxidants, 129(ab)
- Gallium-67**, infection scintigraphy, clinical audits and algorithms, 262
- Gamma camera**
 - imaging protocol, quantification of whole-body retention of Sn-117m DTPA (4), bone metastasis, 116(ab)
 - multiwire, Ta-178 generator system and, cardiac function assessment, 111(ab)
- Gastric emptying**, Tc-99m microlite labeling stability, liver pate in microwave, 121(ab)
- Genitourinary obstruction**, congenitally absent kidney, diuretic computer assisted Tc-99m MAG₃ renography, 75
- Glass ampules**, opened, glass particles in pharmaceutical solution, letter, 215(le)
- Glomerular filtration rate**, real-time noninvasive monitoring, renal cadaver transplantation, 121(ab)
- Hand**, whole-body and, radiation exposure, nuclear medicine technologists, effect of job duties on, 87
- Health care**, changing environment, value of nuclear medicine in, 93
- Heart**
 - PET, repositioning myocardial studies, after bicycle exercise, 18
 - stress test, assessment, drug use evaluation, 267
- Tc-99m SESTAMIBI SPECT, comparison of single-detector and 90-angled two-detector cameras, 158
- transplant, Tc-99m RBC labeling, effect of cyclosporine on, Ultratag in vitro RBC kit, 22
- Helicobacter pylori**, peptic ulcer, disease management, C-14 urea breath test, new role of nuclear medicine, 299
- Hepatology**, nuclear, evolution as clinical subspecialty, 35S
- Holmium-166**, therapeutic amounts, dispensation by radionuclide calibrator, 275
- Hypotonic lysis**, single-gradient Ficoll-Hypaque with, leukocytes separation, evaluation, 282
- Image formats**, digital dry-film laser printing system, clinical experience, 122(ab)
- Imaging**
 - parathyroid, improvements, 128(ab)
 - three-dimensional data display, Tc-99m DMSA SPECT, kidneys, 12
- Indium-111**
 - labeled white blood cells, Tc-99m MDP bonescan and, osteomyelitis diagnosis, 123(ab)
 - radiolabeled monoclonal antibodies, colorectal carcinoma, radioimmunoscintigraphy technical and practical guidelines, 209
- Indium-111 DTPA**, cisternography, quantification of cerebroventricular clearance, 120(ab)
- Indium-111 oxine**, labeled white blood cells, optimal storage temperatures and times, 126(ab)
- Indium-111 pentetrotide**, planar and SPECT imaging, patients suspected of neuroendocrine tumors, technical approach in management, 117(ab)
- Indium-111 WBC**, infection scintigraphy, clinical audits and algorithms, 262
- Infection**
 - In-111 oxine-labeled white blood cells, optimal storage temperatures and times, 126(ab)
 - scintigraphy, clinical audits and algorithms, 262
 - separation of white blood cells, comparison of four techniques, 123(ab)
- Internet**, introduction
 - history/organization/function, 56
 - obtaining access, 150
 - services, 231
- In vitro techniques**, nuclear medicine technology training, difficulty and controversy, 291
- Iodine**, nuclear medicine, thyroid gland and, retrospective review, 8S
- Iodine-123 MIBG**
 - high-quality neuroendocrine tumor imaging, 119(ab)
 - I-131 MIBG and, in-house preparations, high labeling efficiency and radiochemical purity of, 117(ab)
- Iodine-123 PPA**, myocardial metabolism SPECT, optimal acquisition and reconstruction parameters, identification, 111(ab)
- Iodine-125 sodium iothalamate**, rapid radiochemical purity testing, 127(ab)
- Iodine-131**
 - capsules, additional radiation safety concerns, 289
 - therapeutic dosages of, hospital release of patients containing, NRC regulations, 144
 - thyroid abstract and, 128(ab)
- Iodine-131 MIBG**, I-123 MIBG and, in-house preparations, high labeling efficiency and radiochemical purity of, 117(ab)
- Kidney**
 - cadaver transplantation, glomerular filtration rate, real-time noninvasive monitoring, 121(ab)
 - congenitally absent, diuretic computer assisted renography, Tc-99m MAG₃, case report, 75
 - Tc-99m DMSA SPECT, three-dimensional data display, improved imaging accuracy, 12
- Left ventricular dysfunction**, delayed N-13 ammonia cardiac PET, improved target-to-background ratio, 113(ab)
- Left ventricular function**, comparison using gated SPECT perfusion and echocardiography, patients with cardiomyopathy, 112(ab)
- Leukocytes**, separation, single-gradient Ficoll-Hypaque with hypotonic lysis method, evaluation, 282
- Liver pate**, Tc-99m microlite labeling stability in microwave, gastric emptying, 121(ab)
- Lung**
 - advanced disease, planar and SPECT ventilation/perfusion pulmonary imaging, clinical comparison, 119(ab)
 - mass assessment, Tc-99m SESTAMIBI nongeometric mean region of interest methods, evaluation, 123(ab)
 - severe obstructive disease, thoroscopic laser reduction surgery, role of ventilation/perfusion imaging in patient evaluation, 118(ab)
 - ventilation-perfusion scan, Tc-99m MAA and Xe-133 ventilation images, 258
 - ventilation studies, Tc-99m DTPA aerosol contamination, 127(ab)
- Lymphoma**, non-Hodgkin's, bone marrow dosimetry performance, technical considerations, 118(ab)
- Lymphoscintigraphy**
 - foot exercising device for, 124(ab)
 - intraperitoneal surgical probe and, sentinel node identification, melanoma patients, 117(ab)
- Metabolic function**, F-18 FDG PET, technical considerations, 176
- Microwave**
 - heating, Tc-99m sulfur colloid preparation, alternative method, 77
 - Recon-O-Stat versus, Tc-99m SESTAMIBI preparation, hand exposure/radiochemical purity/image quality comparison, 279

- Modem**, Internet, introduction, obtaining access, 150
- Monoclonal antibodies**
- In-111 radiolabeled, colorectal carcinoma, radioimmunoscintigraphy technical and practical guidelines, 209
 - Oncosint CR-OV-In, sensitivity and specificity evaluation, clinical setting, 127(ab)
 - radiolabeled, preradioimmunotherapy imaging, data collection techniques, cancer therapy, 65
- Myocardial perfusion imaging**
- nuclear cardiology, current status and future directions, 27S
 - Tc-99m SESTAMIBI SPECT, comparison of single-detector and 90-angled two-detector cameras, 158
 - Tc-99m SESTAMIBI SPECT, evaluation by imaging in supine and prone positions, 126(ab)
 - Tc-99m tetrofosmin, rapid quality control, miniaturized and standard chromatography system comparison, 186
- Networks**, Internet, introduction history/organization/function, 56 obtaining access, 150
- Neuroendocrine tumor**, high-quality imaging, I-123 MIBG, 119(ab)
- Nitrogen-13 ammonia**, delayed cardiac PET, improved target-to-background ratio, cardiomyopathy patients, 113(ab)
- Noncircular scan**, circular versus, clinical comparison, Tc-99m myocardial SPECT, 124(ab)
- Nuclear medicine**
- calibrator-well detectors, blood sample studies, possibility of avoiding standards, 271
 - cardiology, current status and future directions, 27S
 - computers, history, 19701995, 21S
 - hepatology, evolution as clinical subspecialty, 35S
 - instrumentation, decline and fall of the rectilinear scanner, 19701995, 16S
 - peptic ulcer disease management, new role, 299
 - technologists, dosimetry, hand and whole-body radiation exposure, effect of job duties on, 87
 - thyroid gland and, retrospective review, 8S
 - value communication, in changing health care environment, 93
- Nuclear medicine technology**, technician training, in vitro techniques, difficulty and controversy, 291
- Nuclear medicine testing**, quality improvement, direct patient pretest communication, 91
- Nuclear oncology**, history, 2S
- Nuclear Regulatory Commission**, I-131 therapeutic dosages, hospital release of patients containing, 144
- Octreoscan imaging**, In-11 pentetreotide planar and SPECT imaging, patients suspected of neuroendocrine tumors, technical approach in management, 117(ab)
- Oncosint**, CR-OV-In, sensitivity and specificity evaluation, clinical setting, 127(ab)
- Osteomyelitis**, pedal, Tc-99m HMPAO white blood cell scintigraphy utility, 120(ab)
- Oxygen-15**, water maker system, in PET room, 113(ab)
- PACS**, wide-area network nuclear medicine, 115(ab)
- Parathyroid**
- imaging improvements, 128(ab)
 - Tc-99m SESTAMIBI SPECT acquisition, positioning and timing, technical importance, 120(ab)
 - Tl-201/Tc-99m images, computer analysis, 70
- Patient care**, direct pretest communication, nuclear medicine testing, quality improvement, 91
- Pediatric patients**, optimal dosage determination criteria, diagnostic nuclear medicine procedures, 128(ab)
- Peptic ulcer**, disease management, new role of nuclear medicine, 299
- Pharmacology**, cardiac stress test, drug use evaluation, 267
- Phosphorus-32 chromic phosphate**, preparation, cystic brain tumor injection, 195
- Planar images**
- methods, activity quantification review, 3
 - SPECT and, gamma camera images, collimator artifacts, multicenter study, 167
- Polar maps**, normal myocardial perfusion analysis, comparison of uncorrected and attenuation corrected, 110(ab)
- Positron emission tomography (PET)**
- brain, transmission-emission misalignment, evaluation, 181
 - cardiac
 - evaluation of motion artifacts, 113(ab)
 - repositioning myocardial studies, after bicycle exercise, 18
 - C-11 raclopride, estimation of D2 receptors, effect of reconstruction parameters on, 123(ab)
- F-18 FDG**
- epileptic foci detection, using normal reference values for regional glucose metabolism, 114(ab)
 - measuring metabolic function, technical considerations, 176
 - MRI alignment with, pediatric epileptic patient, 124(ab)
 - myocardial imaging, oral glucose loading regimen, optimization, 110(ab)
 - PRT-2 rotating scanner, whole-body imaging in clinical setting, 114(ab)
- multiple intravenous O-15 water injections, radiation exposure reduction techniques, 122(ab)
- radiation exposure reduction, new injection device
- SPECT and, canine breast cancer imaging, 127(ab)
- transmission images, display standardization, 114(ab)
- whole-body F-18 FDG, optimal processing of metastatic tumors, 116(ab)
- Practice development**, value of nuclear medicine, changing health care environment, 93
- Prostate cancer**, bone scintigraphy, Tc-99m MDP SPECT and planar imaging, 120(ab)
- Quality assurance**, nuclear medicine testing, direct pretest communication, 91
- Quantification**, activity, planar imaging, review, 3
- Quantitative analysis**, intercomputer reproducibility, same-day rest/stress Tc-99m SESTAMIBI myocardial perfusion SPECT, 111(ab)
- Radiation**
- exposure
 - hand and whole-body, nuclear medicine technologists, effect of job duties on, 87
 - patient and occupational, SPECT transmission imaging, 197
- safety
- I-131 capsules, additional concerns, 289
 - personnel monitoring observations, 82
 - therapy, fighting free radicals, cancer and, antioxidants, 129(ab)
- Radiochemical purity (RCP)**, rapid testing, I-125 sodium iothalamate, 127(ab)
- Radioisotopes**, reactor-produced therapeutic, handling, dosimetry, and disposal considerations, 118(ab)
- Radionuclides**
- angiography, gated SPECT blood-pool volume determinations, new method, technical considerations, 124(ab)
 - beta-emitting, shielded automated injector, 29
 - calibrator, dispensation of therapeutic amounts, Ho-166, 275
 - fistulogram, methodology, 121(ab)
 - multiwire gamma camera and Ta-178 generator system, cardiac function assessment, 111(ab)
 - purity testing, miniaturized and standard chromatography system comparison, Tc-99m tetrofosmin, 186
- Tc-99m, dose calibration instrumented shield system, 202
- Tc-99m bicusate, purity testing, rapid quality control procedure, 190
- therapy
- I-131, therapeutic dosages, hospital release of patients containing, NRC regulations, 144
 - P-32 chromic phosphate injection, cystic brain tumor, 195
- Radiopharmaceuticals**
- expense reduction, nuclear medicine department, cost containment techniques, 122(ab)
 - opened glass ampules, glass particles in pharmaceutical solution, letter, 215(le)
 - optimal dosage determination criteria, pediatric patients, diagnostic nuclear medicine procedures, 128(ab)
- Radiotherapy**, reactor-produced therapeutic radioisotopes, handling, dosimetry, and disposal considerations, 118(ab)
- Recon-o-Stat**, microwave versus, Tc-99m SESTAMIBI preparation, hand exposure/radiochemical purity/image quality comparison, 279
- Reconstruction**
- optimal filter parameters, count activity, multiheaded brain Tc-99m SPECT, 251

- parameters, effect on estimation of D2 receptors, C-11 raclopride, 123(ab)
- Rectilinear scanner**, decline and fall, history of nuclear medicine instrumentation 1970-1995, 16S
- Reflux**, comparison of warm and room temperature saline, nuclear cystography, 119(ab)
- Registration**, lung SPECT and CT, pneumonitis detection, high-dose radiotherapy, lung cancer patients, 117(ab)
- Renography**, diuretic computer assisted, Tc-99m MAG₃, congenitally absent kidney, case report, 75
- Repositioning**, PET, myocardial studies, after bicycle exercise, 18
- Resolution**, Siemens cardiofocal collimator, myocardial perfusion imaging with decreased acquisition duration, assessment, 115(ab)
- Ring badge**, position, finger exposure, nuclear medicine technologists, 33
- Scintigraphy**
infection, clinical audits and algorithms, 262
liver-spleen, Tc-99m sulfur colloid, microwave heating as alternative preparation method, 77
- Single-photon emission computed tomography (SPECT)**
bull's eyes heterogeneity, attenuation correction effect, normal dogs, 112(ab)
ECG gated and ungated, regional myocardial uptake with Tc-99m, assessment, 115(ab)
F-18 FDG and Tc-99m SESTAMIBI simultaneous acquisition, technical performance, 115(ab)
functional and anatomical images, simple user friendly fusion tool, 116(ab)
gated, blood-pool volume determinations, new method, technical considerations, 124(ab)
gated perfusion, echocardiography and, comparison of left ventricular function, patients with cardiomyopathy, 112(ab)
gated SESTAMIBI and blood-pool, optimized imaging protocols, 116(ab)
I-111 DTPA cisternography, quantification of cerebroventricular clearance, 120(ab)
I-123 PPA myocardial metabolism, optimal acquisition and reconstruction parameters, identification, 111(ab)
parallel-hole collimator, structural integrity assessment, 173
PET and, canine breast cancer imaging, 127(ab)
planar and, gamma camera images, collimator artifacts, multicenter study, 167
registration of lung CT and, pneumonitis detection, high-dose radiotherapy, lung cancer patients, 117(ab)
same-day rest/stress Tc-99m SESTAMIBI myocardial perfusion, intercomputer reproducibility of quantitative analysis, 111(ab)
- Tc-99m DMSA, three-dimensional data display, improved imaging accuracy, kidneys, 12
- Tc-99m HMPAO multiheaded, brain, optimal reconstruction filter parameters, count activity, 251
- Tc-99m MDP planar imaging and, bone scintigraphy comparison, patients with known prostate cancer, 120(ab)
- Tc-99m planar and, breast lesion patients, comparison, 117(ab)
- Tc-99m planar scintigraphy and, split renal function determination and cortical defect detection, 119(ab)
- Tc-99m SESTAMIBI
attenuation correction, technical considerations, 112(ab)
cardiac, comparison of single-detector and 90-angled two-detector cameras, 158
myocardial, circular versus noncircular orbit clinical comparison, 124(ab)
myocardial perfusion, evaluation by imaging in supine and prone positions, 126(ab)
parathyroid acquisition, positioning and timing, technical importance, 120(ab)
three-dimensional myocardial perfusion scintigraphy, validation, technical considerations, 112(ab)
transmission imaging, patient and occupational radiation exposure, 197
- Spatial resolution**, energy-weighted acquisition, physical characteristics and clinical utility, Tc-99m and Ga-67, 49
- Strontium-89**, measurement
comparison of dose calibrator and eta C counter, 126(ab)
in dose calibrator, 26
dose calibrator, letter, 216(le), 217(le) reply, 218
- Surgery**, bullous lung, thorascopic laser reduction, role of ventilation/perfusion imaging in patient evaluation, 118(ab)
- Surgical probe**, lymphoscintigraphy and, sentinel node identification, melanoma patients, 117(ab)
- Tantalum-178**, generator system, multiwire gamma camera and, cardiac function assessment, 111(ab)
- Technetium-99m**
elution calibration, instrumented shield system, 202
F-18 FDG and, simultaneous acquisition SPECT, technical performance, 115(ab)
planar and SPECT imaging, breast lesion patients, comparison, 117(ab)
red blood cell labeling, effect of cyclosporine, Ultratag in vitro RBC kit, 22
regional myocardial uptake assessment, comparison of ECG gated and ungated SPECT, 115(ab)
Tl-201 and, parathyroid images, computer analysis, 70
- Technetium-99m bicusate**, rapid quality control, procedure, 190
- Technetium-99m disofenin**, light-sensitive cold kits, packaging, letter, 215(le)
- Technetium-99m DMSA**
planar scintigraphy and SPECT comparison, split renal function determination and cortical defect detection, 119(ab)
SPECT, three-dimensional data display, improved imaging accuracy, kidneys, 12
- Technetium-99m DTPA**, aerosol contamination, lung ventilation studies, 127(ab)
- Technetium-99m furiosomim**
biokinetics and heart/organ ratio, imaging protocol relevance, 111(ab)
Tc-99m tetrofosmin and, heart/lung and heart/liver ratios for, during stress and rest myocardial perfusion imaging, 113(ab)
- Technetium-99m HIDA**, nuclear hepatology, evolution as clinical subspecialty, 35S
- Technetium-99m HIG**, infection scintigraphy, clinical audits and algorithms, 262
- Technetium-99m HMPAO**
brain SPECT, multiheaded, optimal reconstruction filter parameters, count activity, 251
white blood cells, persistent cardiac and pulmonary activity of, congestive heart failure patients, 121(ab)
white blood cell scintigraphy, utility in pedal osteomyelitis, 120(ab)
- Technetium-99m MAA**, Xe-133 and, ventilation images, quantitative ventilation perfusion lung scan results, 258
- Technetium-99m MAG₃**, diuretic computer assisted renography, congenitally absent kidney, 75
- Technetium-99m MDP**
bonescan, In-111-labeled white blood cells and, osteomyelitis diagnosis, 123(ab)
comparison of Tc-99m MDP and, breast cancer detection, 129(ab)
SPECT and planar imaging, bone scintigraphy comparison, patients with known prostate cancer, 120(ab)
- Technetium-99m MIBI**
comparison of Tc-99m MDP and, breast cancer detection, 129(ab)
Tl-201 and, radiation exposures, comparison of nuclear medicine and stress lab personnel, 118(ab)
- Technetium-99m SESTAMIBI**
cardiac SPECT, comparison of single-detector and 90-angled two-detector cameras, 158
gated SPECT, attenuation correction, technical considerations, 112(ab)
myocardial perfusion SPECT, evaluation by imaging in supine and prone positions, 126(ab)
myocardial SPECT imaging, circular versus noncircular orbit clinical comparison, 124(ab)
parathyroid SPECT acquisition, positioning and timing, technical importance, 120(ab)
preparation, microwave versus Recon-o-Stat, hand exposure/radiochemical purity/image quality comparison, 279
pulmonary mass assessment, nongeometric mean region of interest methods, evaluation, 123(ab)
same-day rest/stress myocardial perfusion SPECT, intercomputer

- reproducibility of quantitative analysis, 111(ab)
- three-dimensional myocardial perfusion scintigraphy**, validation, technical considerations, 112(ab)
- Tl-201 versus, coronary artery disease detection, cost effectiveness, commentary, 36
- Technetium-99m sulfur colloid**, preparation, microwave heating technique, alternative method, 77
- Technetium-99m tetrofosmin** rapid quality control, miniaturized and standard chromatography systems comparison, 186
- Tc-99m furlosmin and, heart/lung and heart/liver ratios for, during stress and rest myocardial perfusion imaging, 113(ab)
- Thallium-201** Tc-99m and, parathyroid images, computer analysis, 70
- Tc-99m MIBI and, radiation exposures, comparison of nuclear medicine and stress lab personnel, 118(ab)
- Tc-99m SESTAMIBI versus, coronary artery disease detection, cost effectiveness, commentary, 36
- Thyroid** abstract, I-131 therapy and, 128(ab) nuclear medicine and, retrospective review, 8S
- Transmission**, PET images, display standardization, 114(ab)
- Transmission-emission misalignment**, brain PET, evaluation, 181
- Uniformity**, checks, water-filled flood sources, sufficiency of accuracy, 126(ab)
- Urea breath test**, C-14, peptic ulcer disease management, new role of nuclear medicine, 299
- Ventilation perfusion**, planar and SPECT pulmonary imaging, clinical comparison, patients with advanced lung disease, 119(ab)
- Ventilation-perfusion imaging**, lung scan results, Xe-133 and Tc-99m MAA ventilation images, 258
- Wall motion**, left ventricular function, comparison using gated SPECT perfusion and echocardiography, patients with cardiomyopathy, 112(ab)
- Water maker system**, O-15, in PET room, 113(ab)
- White blood cells** In-111 oxine-labeled, optimal storage temperatures and times, 126(ab) separation, comparison of four techniques, 123(ab)
- Tc-99m HMPAO scintigraphy, utility in pedal osteomyelitis, 120(ab)
- Whole-body imaging**, clinical setting, F-18 FDG PET, PRT-1 rotating scanner, 114(ab)
- Xenon-133**, Tc-99m MAA and, ventilation images, quantitative ventilation-perfusion lung scan results, 258