- O'Neill BB, Gosnell JE, Lull RJ, et al. Cinematic nuclear scintigraphy reliably directs surgical intervention for patients with gastrointestinal bleeding. *Arch Surg.* 2000;135:1076–1081.
- Balduf LM, Langsfeld M, Marek JM, Tullis MJ, Kasirajan K, Matteson B. Complication rates of diagnostic angiography performed by vascular surgeons. *Vasc Endovascular Surg.* 2002;36:439–445.
- Hastings GS. Angiographic localization and transcatheter treatment of gastrointestinal bleeding. *RadioGraphics*. 2000;20:1160–1168.
- Punamiya SJ, Someshwar VR. Angiography in the diagnosis and treatment of lower gastrointestinal bleeding. *Bombay Hosp J.* 2000;42(special issue). Available at: http://www.bhj.org/journal/2000_4202_apr00/sp_289.htm. Accessed July 15, 2007.
- Wojtowycz M. Handbook of Interventional Radiology and Angiography. 2nd ed. St. Louis, MO: Mosby; 1995.
- Parkes BM, Obeid FN, Sorensen VJ, Horst HM, Fath JJ. The management of massive lower gastrointestinal bleeding. *Am Surg.* 1993;59:676–678.

- 15. Al Qahtani AR, Satin R, Stern J, Gordon PH. Investigative modalities for massive lower gastrointestinal bleeding. *World J Surg.* 2002;26: 620–625.
- Zuckerman GR, Prakash C. Acute lower intestinal bleeding, part I: clinical presentation and diagnosis. *Gastrointest Endosc.* 1998;48:606–617.
- Enns R. Acute lower gastrointestinal bleeding: part 1. Can J Gastroenterol. 2001;15:509–516.
- Cohn SM, Moller BA, Zieg PM, Milner KA, Angood PB. Angiography for preoperative evaluation in patients with lower gastrointestinal bleeding: are the benefits worth the risks? *Arch Surg.* 1998;133:50–55.
- Green BT, Rockey DC. Lower gastrointestinal bleeding: management. Gastroenterol Clin North Am. 2005;34:665–678.
- Olds GD, Cooper GS, Chak A, Sivak MV, Chitale AA, Wong RC. The yield of bleeding scans in acute lower gastrointestinal hemorrhage. *J Clin Gastroenterol*. 2005;39:273–277.

Erratum

In the article "An Introduction to Na¹⁸F Bone Scintigraphy: Basic Principles, Advanced Imaging Concepts, and Case Examples," by Bridges et al. (*J Nucl Med Technol.* 2007;35:64–76), the legends of Figure 1 (which is also the cover image) and Figure 6E mistakenly describe the image as having been obtained with ¹⁸F-FDG instead of with the correct tracer, ¹⁸F. We regret the error.