

## REFERENCES

1. Allweiss P, Braunstein G, Katz A, Waxman A. Sialadenitis following I-131 therapy for thyroid carcinoma: concise communication. *J Nucl Med.* 1984;25:755–758.
2. Mazzaferri E. Carcinoma of the follicular epithelium. In: Braverman LE, Utiger RD, eds. *Werner and Ingbar's The Thyroid*. Philadelphia, PA: Lippincott; 2000:904–929.
3. Rigler RG, Scanlon PW. Radiation parotitis from radioactive iodine therapy. *Proc Staff Meet Mayo Clin.* 1955;30:149–153.
4. Mishkin FS. Radionuclide salivary gland imaging. *Semin Nucl Med.* 1981;11:258–265.
5. Gates GA, Work WP. Radioisotope scanning of the salivary glands. *Laryngoscope.* 1967;77:861–875.
6. McCall MS, Timm L, Frenkel EP. Chewing tobacco and radioiodine. *Lancet.* 1967;289:902.
7. Henze M, Hittel JP. Mucoepidermoid carcinoma of the salivary glands after high dosage radiotherapy [in German]. *Laryngorhinootologie.* 2001;80:253–256.
8. Wiseman JC, Hales IB, Joasoo A. Two cases of lymphoma of the parotid gland following ablative radioiodine therapy for thyroid carcinoma. *Clin Endocrinol (Oxf).* 1982;17:85–89.
9. Edmonds CJ, Smith T. The long-term hazards of the treatment of thyroid cancer with radioiodine. *Br J Radiol.* 1986;59:45–51.
10. Spiegel W, Reiners C, Börner W. Sialadenitis following iodine-131 therapy for thyroid carcinoma. *J Nucl Med.* 1985;26:816–817.
11. Bohuslavizki KH, Klutmann S, Brenner W, et al. Radioprotection of salivary glands by amifostine in high-dose radioiodine treatment. *Strahlenther Onkol.* 1999;175(suppl 4):6–12.
12. Modan B, Chetrit A, Alfandary E, et al. Increased risk of salivary gland tumors after low-dose irradiation. *Laryngoscope.* 1998;108:1095–1097.
13. Beal KP, Singh B, Kraus D, Yahalom J, Portlock C, Wolden SL. Radiation-induced salivary gland tumors: a report of 18 cases and a review of the literature. *Cancer J.* 2003;9:467–471.
14. Batsakis JG. Salivary gland neoplasia: an outcome of modified morphogenesis and cytodifferentiation. *Oral Surg Oral Med Oral Pathol.* 1980;49:229–232.
15. Stewart FW, Foote FW, Becker WF. Muco-epidermoid tumors of salivary glands. *Ann Surg.* 1945;122:820–844.
16. Verma J, Teh BS, Paulino AC. Characteristics and outcome of radiation and chemotherapy-related mucoepidermoid carcinoma of the salivary glands. *Pediatr Blood Cancer.* 2011;57:1137–1141.

### Erratum

In “Survey on the Use of Nuclear Renal Imaging in the United States,” by Archer and Bolus (*J Nucl Med Technol.* 2016;44:223–226), the survey was sent to technologists on the National Medicine Technology Certification Board e-mailing list and asked questions about individual departments, with the intent being that all the technologists in a department would coordinate their responses. However, because the responses were anonymous and self-reported, more than one set of responses from the same department might have been received, resulting in more individual-experience data than conglomerate-department data. The authors regret this confounding data collection error.

### Publisher's Note

The page numbering of the March 2017 issue of *JNMT* was incorrect in the print edition. Please refer to the online edition for the correct page numbers.