CONCLUSION

The presence of malignant venous thrombi is a poor prognostic factor in malignancies. ¹⁸F-FDG PET/CECT is a reliable, noninvasive modality to detect a malignant venous thrombus.

DISCLOSURE

No potential conflict of interest relevant to this article was reported.

REFERENCES

 Oh SD, Oh SJ, Suh BJ, Shin JY, Park JK. Long-term survival of a patient with adenocarcinoma of the esophagogastric junction with a portal vein tumor thrombosis

- who underwent palliative total gastrectomy: a case report. Case Rep Oncol. 2017:10:916-922.
- Yamamoto N, Sugano N, Morinaga S, et al. Massive portal vein tumor thrombus from colorectal cancer without any metastatic nodules in the liver parenchyma. Rare Tumors. 2011;3:e47.
- Matsumoto J, Kojima T, Hiraguchi E, Abe M. Portal vein tumor thrombus from colorectal cancer with no definite metastatic nodules in liver parenchyma. *J Hepatobiliary Pancreat Surg.* 2009;16:688–691.
- Rees PA, Clouston HW, Duff S, Kirwan CC. Colorectal cancer and thrombosis. *Int J Colorectal Dis*. 2018;33:105–108.
- Kim SE, Lee SJ, Cha JY, et al. Ascending colon cancer with pathologically confirmed tumor thrombosis of superior mesenteric vein: a case report. *Clin Endosc*. 2019;52:506–509.
- Hu S, Zhang J, Cheng C, Liu Q, Sun G, Zuo C. The role of ¹⁸F-FDG PET/CT in differentiating malignant from benign portal vein thrombosis. *Abdom Imaging*. 2014;39:1221–1227.
- Tada K, Kokudo N, Seki M, et al. Hepatic resection for colorectal metastasis with macroscopic tumor thrombus in the portal vein. World J Surg. 2003;27:299–303.

Erratum

In the article "Added Value of CT Attenuation Correction and Prone Positioning in Improving Breast and Subdiaphragmatic Attenuation in Myocardial Perfusion Imaging," by Tawakol et al. (*J Nucl Med Technol.* 2021;49:23–29), author Rana E. Elashmawy was inadvertently left out of the author list during editing. The corrected author line should read: *Ahmed E. Tawakol*¹, Hazem M. Tantawy*², Rana E. Elashmawy¹, Yasser G. Abdelhafez³, and Yasser M. Elsayed¹*. We regret the error.