

1977 Author Index

(Asterisk indicates abstract)

- Adabi, A. see Hambright, P.
 Appledorn, C.R., Hallberg, J.R., and Knight, R.L. Unusual flood field image, 213
 Armstrong, C. see Brown, T.
 Bacharach, S.L. see Mack, B.A.
 Barat, K., and Schwab, C. Deep and superficial venous thrombosis detection, 114*
 Baron, K., Clay, B., Zimmer, A.M., and Pavel, D.G. Evaluation of commercial ^{99m}Tc -MAA, 111*
 Bates, B.B., Rerych, S.K., and Jones, R.H. Exercise techniques for radionuclide angiocardiology, 112*
 Battaglia, D.J., Burkhead, C., and Cianci, M. Statistical evaluation of radioimmunoassay normal range data, 101
 Baumgartner, J. Improvement in the precision and accuracy of a commercially available insulin radioimmunoassay kit, 205
 Becker, G.P. see Thorson, L.M.
 Berg, R. see Burr, J.E.
 Berger, H.J. see Pytlik, L.M.
 Blonde, L. see Witherspoon, L.R.
 Borer, J.S. see Mack, B.A.
 Brahnaver, S.M. see Lis, G.
 see Washburn, R.
 Brown, T., Armstrong, C., Brunsten, B.S., and Lands, E.L. Longitudinal multiplane emission tomography, 109*
 Brunsten, B.S. see Brown, T.
 Burkhead, C. see Battaglia, D.J.
 Burr, J.E., and Berg, R. Radiation dose to hands from radiopharmaceutical—preparation vs injections, 158
 Callahan, L. see Spicer, J.A.
 Capuzzi, J.P. see Malmud, L.S.
 Carretta, R.F. see Stankiewicz, C.J.
 Chan, F.H. see Kowalsky, R.J.
 Charkes, N.D. see Malmud, L.S.
 Cherry, M. see Hambright, P.
 Chilton, H.M. see Williams, R.C.
 Christian, P.E. see Volz, E.M.
 Cianci, M. see Battaglia, D.J.
 Ciez, T. Diagnosis of cold thyroid nodules, 113*
 Clark, N. see Tripses, K.
 Clay, B. see Baron, K.
 Conway, J.J. see Weiss, S.
 Craddock, T.D. Book review: *ICRU Report 25, Conceptual Basis for the Determination of Dose Equivalent*, 106
 Cudworth, J.W. In-service education, 169
 Czerwinski, B., and Ochart, M. Rectilinear tomographic scanner, 146
 Dalton, J. see Washburn, R.
 Dean, R.D. Book review: *The Basic Physics of Radiation Therapy*, 106
 Dellwo, P.M. Cranial hyperostosis, 161
 Deville, T. see Timpe, G.M.
 Dhawan, V.M. see Rich, D.A.
 Dubovsky, E.V. see Kontzen, F.N.
 Dworkin, H.J. see Hill, J.C.
 Fisher, R.S. see Malmud, L.S.
 Floriddia, D.G. see Gunther, C.W.
 Frank, P. see Koester, L.M.
 Gallagher, J.H. see Hladik, W.B.
 Garcia, E.V. see Koorji, A.H.
 Gerson, M. Choosing a goodness-of-fit test, 217
 Gibbs, W.D. see Hodges, H.D.
 Giga, J.L. see Stankiewicz, C.J.
 Gors, R.F. Method for determining tomographic plane separation and detector distances for use with the Searle Pho/Con tomographic multiplane scanner, 152
 Gottschalk, A. see Pytlik, L.M.
 Grabowski, C. see Malmud, L.S.
 Green, M.V. see Mack, B.A.
 Green, W.R. ^{99m}Tc -GHT demonstration of a Dandy-Walker cyst, 85
 Gunther, C.W., Wilkerson, S.V., and Floriddia, D.G. Dose calibrator performance and quality control, 168
 Hallberg, J.R. see Appledorn, C.R.
 Hambright, P., Adabi, A., Reid, J., Maitland, D., Press, H.C., and Cherry, M. Rapid spot test for stannous tin levels in ^{99m}Tc kits, 88
 Hill, J.C., and Dworkin, H.J. Syringe apparatus for radiolabeling cells, 32
 Hladik, W.B., Study, K.T., Gallagher, J.H., and Rhodes, B.A. QC of radiochemical purity by a rapid feedback system, 94
 Hodges, H.D., and Gibbs, W.D. Radiation accident management, 46
 Hodges, H.D., Holloway, S., and Gibbs, W.D. Reducing CO_2 inhalation in clinical pulmonary investigations, 211
 Holloway, S. see Hodges, H.D.
 Honeyman, J.C. Design criteria for a nuclear medicine department, 112*
 Hopkins, G.B. see Kan, M.K.
 Johnston, G.S. see Mack, B.A.
 Johnston, R.E. see Kowalsky, R.J.
 Jones, R.H. see Bates, B.B.
 Jones, S.A. Nuclear medicine computer systems: a buyer's guide to current performance and future promise, 199
 Kan, M.K., and Hopkins, G.B. Rib phantom for myocardial infarct scintigraphy, 50
 Kan, M.K., and O'Sargent, D. Image quality in ^{99m}Tc -HSA cardiovascular imaging, 52
 Kasecamp, W. see Mikesell, H.H.
 Kirchhoff, K. see Tripses, K.
 Knight, R.L. see Appledorn, C.R.
 Koester, L.M., Frank, P., and Leeper, M.A. Effect of reduced Tc on scintillation camera imaging, 110*
 Kontzen, F.N., Tobin, M., Dubovsky, E.V., and Tauxe, W.N. Comprehensive renal function studies, 81
 Koorji, A.H., Garcia, E.V., and Maile, A. Photopeak analyzer for a multiplane scanner, 109
 Kowalsky, R.J., Johnston, R.E., and Chan, F.H. Dose calibrator performance and quality control, 35
 Kuhn, S.A. Relocating a nuclear medicine laboratory, 111*
 Lands, E.L. ^{67}Ga camera imaging spectrometry, 108*
 Lands, E.L. see Brown, T.
 LaRocque, L.R. Case of the quarter, 163
 LaRocque, L.R. Performance methods in a large-volume nuclear medicine department, 143
 Leary, M. see Spicer, J.A.
 Leeper, M.A. see Koester, L.M.
 Lis, G., Zu'bi, S.M., Sullivan, J.P., and Brahnaver, J.P. Image quality enhancement in pancreas scanning, 108*
 Loberg, M. see Sorandes, T.
 Mack, B.A., Borer, J.S., Green, M.V., Bacharach, S.L., and Johnston, G.S. ECG-gated rest and stress heart studies, 112*
 Maitland, D. see Hambright, P.
 Malmud, L.S., Fisher, R.S., Capuzzi, J.P., Grabowski, C., and Charkes, N.D. The acidified gastroesophageal scintiscan, 113*
 Manspeaker, H. see Raab, E.
 Martin, N.L. Book review: *Xeroradiography: Uncalcified Breast Masses*, 221
 McCormick, M.V., Wahner, H.W., and Orvis, A.L. Energy window selection for fluorescence thyroid scanning, 108*
 McIlmoyle, G. Book review: *Atlas of Angiography*, 57
 McLean, J.R., and Wise, P. Impurities in a ^{99m}Tc lung imaging kit, 28
 McLean, J.R., and Wise, P. Mouse bioassay procedure, 105
 Miale, A. see Koorji, A.H.
 Mikesell, H.H., Nickoloff, E.L., and Kasecamp, W. Comparison of serum T_3 kits, 110*
 Moffat, R.E. Book review: *Roentgenology of the Gallbladder and Biliary Tract*, 221

- Moser, K.M.** see Sgroi, V.L.
- Nickoloff, E.** see Raab, E.
- Nickoloff, E.L.** see Mikesell, H.H.
- Ochart, M.** see Czerwinski, B.
- Orvis, A.L.** see McCormick, M.V.
- Padelford, L.** see Tripses, K.
- Panetta, P.F.** ^{133}Xe adsorption in charcoal traps, 166
- Pavel, D.G.**
see Baron, K.
see Zimmer, A.M.
- Phelps, M.R.** see Spicer, J.A.
- Pitt, B.** see Raab, E.
- Press, H.C.** see Hambright, P.
- Prestidge, D.J.** see Williams, R.C.
- Prince, J.R.** Goodness-of-fit-tests for counting equipment, 41
- Prince, J.R.** Reply: statistical behavior of counting equipment, 218
- Pritchard, E.** Quality assurance of patient care, 197
- Pritchard, E.D.** Quality assurance of patient care, 111*
- Pytlík, L.M., Berger, H.J., Gottschalk, A., and Zaret, B.L.** ^{201}Tl and $^{99\text{m}}\text{Tc}$ -pyrophosphate imaging in acute myocardial infarction, 112*
- Quinlan, J.** see Sorandes, T.
- Raab, E., Nickoloff, E., Manspeaker, H., Pitt, B., and Wagner, H.** Dynamic heart model for ventricular time activity curves, 109*
- Reese, L.** see Wilkins, K.
- Rerych, S.K.** See Bates, B.B.
- Rhodes, B.A.**
see Hladik, W.B.
see Spicer, J.A.
see Wells, L.D.
- Rich, D.A., Dhawan, V.M., Sziklas, J.J., and Spencer, R.P.** A computerized subtraction program for ^{67}Ga scanning, 108*
- Robinson, R.G.** see Wells, L.D.
- Samuel, A.M.** The tomoscanner with multiangle readout method, 109*
- Sargent, D.** see Kan, M.K.
- Schwab, C.** see Barat, K.
- Sgroi, V.L., and Moser, K.M.** ^{125}I -fibrinogen detection of deep venous thrombosis, 113*
- Shepard, J.** see Timpe, G.M.
- Shuler, S.E.** see Witherspoon, L.R.
- Sorandes, T.** Model infection control plan, 110*
- Sorandes, T.** $^{99\text{m}}\text{TcO}_4^-$ thyroid uptake, 113*
- Sorandes, T., Quinlan, J., and Loberg, M.** ^{131}I - and ^{125}I -fibrinogen for monitoring renal allografts, 114*
- Spencer, R.P.** see Rich, D.A.
- Spicer, J.A., Phelps, M.R., Leary, M., Callahan, L., and Rhodes, B.A.** Radiopharmacy redesign, 90
- Stankiewicz, C.J., Giga, J.L., and Carretta, R.F.** Technical aspects of hepatic scintiangiography, 155
- Stankiewicz, C.J., Giga, J.L., Weiland, F.L., and Carretta, R.F.** Simultaneous dual isotope Schilling test, 113*
- Steidley, K.D.** Book review: *An Introduction to the Physics of Nuclear Medicine*, 171
- Steidley, K.D.** Book review: *NCRP Report No. 49: Structural Shielding Design and Evaluation for Medical Use of X-rays and Gamma Rays of Energies up to 10 MeV*, 107
- Steinman, S.** Impurities in a $^{99\text{m}}\text{Tc}$ lung imaging kit, 55
- Stephan, A.** VOICE program, 56
- Study, K.T.** see Hladik, W.B.
- Sullivan, J.P.** see Lis, G.
- Sziklas, J.J.** see Rich, D.A.
- Tauxe, W.N.** see Kontzen, F.N.
- Thorson, L.M., Becker, G.P., and Wahner, H.W.** Increased specificity of Ga scans by liver subtraction technique, 114*
- Timpe, G.M.** ^{133}Xe adsorption in charcoal traps, 167
- Timpe, G.M., Deville, T., and Shepard, J.** Dose calibrator performance, 169
- Tobin, M.** see Kontzen, F.N.
- Tripses, K., Clark, N., Kirchhoff, K., and Padelford, L.** Human serum ferritin assay kit, 110*
- Volz, E.M., and Christian, P.E.** Case of the quarter, 215
- Wagner, H.** see Raab, E.
- Wagner, H.N.** Book review: *Scintillation Camera Lung Imaging, An Anatomic Atlas and Guide*, 106
- Wahner, H.W.**
see McCormick, M.V.
see Thorson, L.M.
- Washburn, R., Dalton, J., Brahmaver, S.M., and Zu'bi, S.M.** Quality control and target values for radioimmunoassays, 109*
- Weiland, F.L.** see Stankiewicz, C.J.
- Weiss, S., and Conway, J.J.** Bone imaging artifacts, 17
- Wells, L.D.** Letter from the Editor, 15, 142, 193
- Wells, L.D., Robinson, R.G., and Rhodes, B.A.** Scheduling nuclear medicine and radiographic exams, 111*
- Wilkerson, S.V.** see Gunther, C.W.
- Wilkins, K., and Reese, L.** Left ventricular ejection fractions using a multi-crystal scintillation camera, 112*
- Williams, J.** Prolactin radioimmunoassay, 110*
- Williams, R.C., Chilton, H.M., and Prestidge, D.J.** Adaptation of a multichannel scaler device for radiochromatogram scanning, 208
- Wise, P.** see McLean, J.R.
- Witherspoon, L.R., Shuler, S.E., and Blonde, L.** Rectilinear bone scanning, 23
- Zaret, B.L.** see Pytlík, L.M.
- Zeuske, G.** Licensure, 56
- Zimmer, A.M., and Pavel, D.G.** Stabilized and non-stabilized $^{99\text{m}}\text{Tc}$ -Sn-diphosphonate kits, 54
- Zimmer, A.M.** see Baron, K.
- Zu'bi, S.M.**
see Lis, G.
see Washburn, R.